

Name and Address of Bidder: _____



BIDDING DOCUMENTS
FOR
National Competitive Bidding

Supplying & Installation of Allied IT Works in Labs and Command & Control Center for the Project for Establishment of IT Labs in Colleges, Across the Punjab.

Bid Reference No:	48854-22122025-01
Work Name	Supplying & Installation of IT Allied Works, Command & Control Center
Procurement Procedure & Method	Single Stage Two Envelope
Delivery / Installation	All across Punjab Province (Approximately 166 different locations)
Last Date & Time of Receipt of Bids	06 th January, 2026, till 03:00 PM
Bid Opening Date & Time:	06 th January, 2026, at 04:00 PM

INFORMATION TECHNOLOGY UNIVERSITY OF THE PUNJAB

6th Floor, Arfa Software Technology Park,
346-B, Ferozepur Road, Lahore, Pakistan
&
4 KM, Main Barki Road, Lahore, Pakistan

Phone: (+92) (42) 111-111-488 (6003/6064)
URL: www.itu.edu.pk



TENDR/ CONTRACT FORM

Item Rate contract for the following works to be carried out at the established colleges across the Punjab Province

Name of Work Supplying & Installation of IT Allied Works, Command & Control Center.

Time for Completion 120 Days

Amount of Earnest Money **Rs. 5,500,000/-**

Name of Contractor

Name of Contractor _____

Renewed Vide No. _____

INDEX

Para No.		Page
1.	Important Note/ General Instruction	8
2.	Check List/ Basic Evaluation Criteria for Bid Submission	8
3.	Applicability of the Punjab Procurement Rules, 2014	8
4.	Invitation to Bid	8
5.	Bidding Details (Instruction to Bidders)	9
6.	Preparation and Submission of Tender/ Esrnest Money Detailed Directions to the Guidance of Tenderer	10 13-20
8.	Cost of Preparation and Submission of Tender	
9.	Tender to include only one Work	
10.	Schedule for Material and Equipment to be supplied by University	
11	Responsibility for Quality and Specifications	
12	Inspection of Site	
13.	Rate in the Bid Schedule	
14.	Amount of Tender	
15.	Addition and Alteration in the Bid Schedule	
16.	Un-attested Corrections	
17.	Additional Clauses	
18.	Quantities in Bid Schedule for Comparing Tenders	
19.	Earnest Money	
20.	Forfeiture of Earnest Money	
21.	Signing of Tender	
22.	Sufficiency of Tender	
23.	Modification and Withdrawal of Tender/Validity Period of Tender	
24.	Tender to be in Sealed Cover	
25.	Tenderer to give his Address	
26.	Presentation of Tender Implies Acceptance of Conditions	
27.	Late Tender	
28.	Opening of Tenders	
29.	Evaluation and Comparison of Tenders	
30.	Process to be Confidential	
31.	Clarification of bids after opening Tender	
32.	Rejection of Tender	
33.	Tender Amount includes all Taxes, Duties and Obligations	
34.	Notification of Award	
35.	Signing of Contract Agreement	
36.	Notifications of Successful and Un-Successful Tenders	
37.	Reckoning of Completion Period	
38.	Contractor may obtain a Copy of Contract Agreement at his Cost	

TENDER FOR WORK

1.	Tender	21-23
2.	Memorandum of Work	24
3.	Bid Schedule	25-26

GENERAL CONDITIONS OF CONTRACT

DEFINITIONS AND INTERPRETATIONS

Clause No.		Page
1.	Definition	27-28
2.	Marginal Headings for information only	29
3.	Term to include Designation of corresponding Post	29

CONTRACT DOCUMENTS

4.	Documents mutually explanatory	29
5.	Custody of Drawings	30
	Classified Drawings	30
	One copy of Drawings to be kept on Site	30
	Further drawings and instructions	30

GENERAL OBLIGATIONS

6.	Contract agreement	30
7.	Performance security	31
8.	Programme of work to be furnished if so required by Engineer-in-charge	31-32
	Action when programme not submitted in time	32
9.	Setting out	32
10.	Work to be executed in accordance with the specifications, drawings, orders etc.	33
11.	Action where no specifications are provided	33
12.	Works to be under direction of Engineer-in-charge	33
13.	Lighting at night work	33-34
14.	Arrangements to safeguard danger to unfinished work	34
15.	Contractor to supply plant, ladders, scaffolding, etc.	34
	Contractor liable to pay damages arising from non-provision of lights, fencing, etc.	34-35
16.	Notice to be given before the work is covered up	35
17.	Contractor's employees.	35-36
	Removal of Contractor's employees.	
18.	Whole time qualified technical personnel for supervision of work	36
19.	Opportunities for other contractors.	36
20.	Damage to persons and property	36-37
	Indemnity by the University	
21.	Work to be open to inspection	37-38
	Contractor or his responsible agent to be present.	
22.	Giving of notices and payment of fees.	38
	Compliance of statutes regulations etc.	38
	Payment of income tax and other taxes.	38
23.	Cost of bonds.	39
24.	Change in the constitution of firm	39
25.	Photographs and advertisements.	39

ASSIGNMENT AND SUBLetting

26.	Assignment	39
27.	Subletting	39

MATERIALS AND WORKMANSHIP

28.	Quality of material and workmanship and tests	40
	Cost of samples	40
	Cost of tests	40
	Cost of tests not provided for	40
29.	Constructional material, fittings to conform to representative samples approved by Engineer-in-charge	41
30.	Stores and Equipment to be supplied by University	41
31.	Action and compensation payable in case of bad work	42

LABOUR

32.	Application of labour laws and rules	42
33.	Contractor liable for payment of compensation to injured workman or in case of death to his relations.	42-43
34.	Use of donkeys and other animals.	43

COMMENCEMENT, TIME AND DELAYS

35.	Commencement of work	43
36.	Time for completion	43
37.	Extension of time for completion.	43-44
38.	No work at night or on Sundays/ Public Holidays	44
39.	Compensation for delay.	44-45
	Rate of progress.	45

CERTIFICATE OF COMPLETION

40.	Certification of completion of work	45-46
-----	-------------------------------------	-------

ALTERATIONS, ADDITIONS AND OMISSIONS

41.	Alteration in specifications and drawings.	46
	Alternations, omissions or substitutions do not invalidate the contract.	46
	Extension of time in consequence of alterations	47
	Rate of works not in schedule of rates, bid schedule or in the estimates.	47
42.	No compensation for alteration in or restriction of work to be carried out, if variation does not exceed 20%	48
	Variation exceeding 20%	48

MAINTENANCE AND DEFECTS

43.	Period of maintenance	49
	Execution of work of repair etc.	49
	Cost of execution of works of repair etc.	49
	Remedy on contractor's failure to carry out work required	49
44.	Contractor liable to make good damages and for any imperfection noticed during period of maintenance	49-50

ADVANCES TO CONTRACTOR

45.	Secured advance on materials brought to site.	50
-----	---	----

PAYMENTS

46.	Bills to be submitted on prescribed form.	51
47.	Bills to be submitted monthly.	51
48.	Deduction of security deposit.	52
49.	Conversion of security deposit into profit bearing securities.	52
50.	Refund of security deposit.	52
	Refund of security deposit on production of a bank guarantee	53
	Refund of security deposit of maintenance and repair work	53
51.	Payment on intermediate certificate to be regarded as advances	53
52.	Final bill to be submitted within one month.	53
53.	Procedure for payment to firms.	53
54.	Sums payable by way of compensation to be considered as reasonable compensation without reference to actual loss.	53

VARIATION IN PRICES OF SPECIFIED MATERIALS

55.	Price variation (N/A)	54
-----	-----------------------	----

CLAIMS OF CONTRACTOR

56.	Bills to be submitted monthly	54
57.	Claims for payment of extra ordinary nature to be referred to the Competent Authority of University.	54
58.	Time limit for unforeseen claims	54
59.	Claim for compensation for delay in the execution of work.	54

REMEDIES AND POWERS

60.	Action where whole of security deposit is forfeited.	54-55
61.	Work at the risk and expense of the contractor	55-56
62.	Contractor remains liable to pay compensation if action is not taken under clauses.	56
	Power to take possession or require removal of or sell contractor's plant, etc.	56-57
63.	Contract may be rescinded and security forfeited for subletting, bribing or if contractor becomes insolvent	57
64.	Deduction of amount due to University on any account whatsoever to be permissible from sums payable to the contractor	58

SETTLEMENT OF DISPUTES

65.	Procedure in case of disagreement.	58
	Contractor dissatisfied with the decision of Project Director	58
	Increase in amount of claim once referred not allowed	58
	Reference to arbitration	58
	Dispute for arbitration limited.	58-59
	Arbitration	59

APPENDICES

Appendix-A	Contract Agreement	60-61
Appendix-B	Specimen of Bank Guarantee to be furnished by the contractor in lieu of performance security	62-63
Appendix-C	Specimen of Bank Guarantee for release of security deposits	64
Appendix-D	Notification of Mobilization Advance	65
Appendix- E	Form of Mobilization Advance	66
Appendix-F	Technical proposal Submission	67
Appendix G	Technical Bid Submission Form	68-69
Appendix H	Financial Bid Submission Form	70
Appendix I	Price Schedule	71-73
Appendix J	Format of Covering Letter	74
Appendix K	Technical Specifications	76-90
	Drawings	91

1. IMPORTANT NOTE/ GENERAL INSTRUCTION

Bidders must ensure that they submit all the required documents indicated in the Bidding Documents without fail. Bids received without, undertakings, valid documentary evidence, supporting documents and the manner for the various requirements mentioned in the Bidding Documents or test certificates are liable to be rejected at the initial stage itself. The data sheets, valid documentary evidences for the critical components as detailed hereinafter should be submitted by the Bidder for scrutiny.

2. CHECKLIST FOR BID SUBMISSION

The bidder(s) must fill-up the checklist / table given below and attach required documents with proper

Sr. #	Description	Yes/ No	Attached at Annexure
Technical Proposal (Mandatory Requirements)			
1.	Technical Proposal Form Annex-F , duly signed & stamped on Firm's Letter Head.		
2.	Valid Registration with Pakistan Engineering Council (PEC) in category C-3 or above with Specialization Codes related to Electrical & IT Works		
3.	Sole proprietor/partnership deed/Memorandum of Association of firm in case of Limited Company		
4.	Income Tax Certificate, PRA & Professional Tax Certificate or relevant		
5.	Litigation History and no litigation affidavit on legal stamp paper in original		
6.	Affidavit on legal stamp paper in original declaring that the firm has never been black listed		
7.	CV's, PEC registration certificate and affidavit on stamp paper (in original) of employed staff is mandatory for submission; and		
8.	Undertaking on stamp paper (in original) of ownership of tools and plants is mandatory for submission		
9.	Earnest Money/ Bid Security not less than the Rs. 5,500,000/- in the form of Deposit at Call from Scheduled Bank of Pakistan		
10.	Construction Turn Over		
11.	Bank Statement for showing credit limits		
Financial Proposal			
12.	Financial Proposal Form Annex-H , duly signed & stamped on Firm's Letter Head.		
13.	Price Schedule/Financial Cost Sheet Annex-I , duly signed & stamped on Firm's Letter Head.		
14.	Technical Specification Annex-K		

3. APPLICABILITY OF PUNJAB PROCUREMENT RULES, 2014

This Bidding Process will be governed under Punjab Procurement Rules, 2014, as amended from time to time and instructions of the Government of the Punjab if and when received.

Invitation to Bid

3.1 Punjab Procurement Rules to be followed

Punjab Procurement Rules, 2014 will be strictly followed. These may be obtained from PPRA's website. <http://ppra.punjab.gov.pk>. In this document, unless otherwise mentioned to the contrary, "Rule" means a Rule under the Punjab Procurement Rules, 2014.

3.2 Mode of Advertisement(s)

As per Rule 12(2), this Tender is being placed online at PPRA's website as well as at the website of Purchaser. The bidding document carrying all details can be downloaded from ITU's website www.itu.edu.pk and from PPRA's website www.ppra.punjab.gov.pk for information only.

3.3 Type of Open Competitive Bidding

As per Rule 38(2)(a) of Punjab Procurement Rules, 2014, **Single Stage – Two Envelope Bidding Procedure** shall be followed. The said procedure is reproduced as follows:

- (i) the bid shall be a single package consisting of two separate envelopes, containing separately the financial and the technical proposals;
- (ii) the envelopes shall be marked as “**Financial Proposal**” and “**Technical Proposal**”;
- (iii) in the first instance, the “Technical Proposal” shall be opened and the envelope marked as “Financial Proposal” shall be retained unopened in the custody of the procuring agency;
- (iv) the procuring agency shall evaluate the technical proposal in the manner prescribed in advance, without reference to the price and shall reject any proposal which does not conform to the specified requirements;
- (v) during the technical evaluation no amendments in the technical proposal shall be permitted;
- (vi) after the evaluation and approval of the technical proposals, the procuring agency shall open the financial proposals of the technically accepted bids, publically at a time, date and venue announced and communicated to the bidders in advance, within the bid validity period;
- (vii) the financial bids found technically nonresponsive shall be returned un-opened to the respective bidders; and
- (viii) the lowest evaluated bidder shall be awarded the contract.

4. Bidding Details (Instructions to Bidders)

All bids must be accompanied by Bid Security (Earnest Money), as per provisions of this tender document clause “Bid Security” in favor of **“Information Technology University”**. Original Bid Security Instrument must be submitted in an envelope clearly marked with the Bidding Document Number and Title, at ITU-Procurement Office, 6th Floor, Arfa Software Technology Park (ASTP), 346-B, Ferozepur Road, Lahore, before the last date and time for E-bid Submission. The complete bids as required under this tender document, must be submitted **online on e-Procurement System (EPADS) website i.e. <https://punjab.eprocure.gov.pk>** as per the following schedule:

E-bid Submission Date & Time	06 th January 2026, till 03:00 PM
E-bid Opening Date & Time	06 th January 2026, at 04:00 PM

Bidders are advised to ensure the uploading of Bids on **E-PADS Portal**, well before the submission deadline and not wait for the last date and time to upload the bid. Late E-bids shall not be considered and shall be rejected. Bid submission on E-PADS portal shall entirely be the responsibility of the bidders. ITU shall not be responsible for any issues thereof. For any assistance regarding E-PADS Portal, the bidders may contact on system support email and phone numbers as provided on the website of the authority.

Bidding Documents are immediately available after date of publication. Information Technology University will not be responsible for any cost or expense incurred by Bidders in connection with the preparation or uploading of E-bids.

Bids shall be publicly opened in the Committee Room of Information Technology University, 6th Floor, Arfa Software Technology Park, 346-B, Ferozepur Road, Lahore, on scheduled date and time. In case of official holiday on the day of submission, next day will be treated as closing date. The Bidding document carrying all details can also be downloaded from ITU’s website <https://itu.edu.pk/tenders>, and PPRA’s website <http://ppra.punjab.gov.pk>.

Queries of the Bidders (if any) for seeking clarifications regarding the specifications of the Goods/ Items must be received in writing to the Purchaser till **the date and time specified on EPADS**. Any query received after said date may not be entertained. All queries shall be responded to within due time. ITU will host a Q&A session at ITU premises (6th Floor, Arfa Software Technology Park, 346-B, Ferozepur Road, Lahore). All Bidders shall be informed of the date and time in advance.

The bidder shall submit bid which comply with the Bidding Document. Alternative bids shall not be considered. The attention of bidders is drawn to the provisions of this tender document Clause regarding **“Determination of Responsiveness of Bid” and “Rejection / Acceptance of the Tender”** for making their bids substantially responsive to the requirements of the Bidding Document.

It will be the responsibility of the Bidder that all factors have been investigated and considered while submitting the Bid and no claim whatsoever including those of financial adjustments to the contract / Letter of Acceptance awarded under this Bid Process will be entertained by the Purchaser. Neither any time schedule, nor financial adjustments arising thereof shall be permitted on account of failure by the Bidder.

5. Preparation / Submission of Tender

The Bidder(s) must submit their bid against complete scope of works as required in Annexure-A.

The Bidder will submit their respective bids in a manner explained in this tender document.

The Tender and all documents relating to the Tender, exchanged between the Bidder and the Purchaser, shall be in English. Any printed literature furnished by the Bidder in another language shall be accompanied by an English translation, which shall govern for purposes of interpretation of the Tender.

The Tender shall be filed in / accompanied by the prescribed Forms, Annexures, Schedules, Charts, Drawings, Documents, Brochures, Literature, etc. which shall be typed, completely filled in, stamped and signed by the Bidder or his Authorized Representative. In case of copies, signed and stamped photocopies may be submitted. If volume of the bid contains various set(s) of documents the same must be properly numbered and tagged in binding shape.

The Tender shall be in two parts i.e. the **technical proposal** and the **financial proposal**.

The **Technical Proposal** shall comprise the documentary proof(s) as per the mandatory requirements mentioned in **Checklist for Bid Submission, Tender Eligibility/Qualification Criteria and Technical Evaluation Criteria without quoting the prices. (Annex – F & G)**

The **Financial Proposal** shall comprise the following:

Financial Proposal Form (**Annexure-H**)

Price Schedule (**Annexure-I**)

The Bidders should provide **soft copies** of the **Technical Proposal** and the **Financial Proposals**, including all Forms, Annexures, Schedules, Charts, Maps, Drawings, Documents, Brochures, Literature, etc., in the form of MS Word Documents, MS Excel Worksheets and Scanned images, as and when required.

This is made obligatory to affix authorized signatures with official seal on all documents, annexures, copies, certificates, brochures, literature, drawings, letters, forms and all relevant documents as part of the bids submitted by the tenderer.

6. Bid Security (Earnest Money)

The bid security amount has been calculated and demanded on estimated price as per provision of Rule-27 “Bid Security” of PPRA Rules, 2014 (i.e. not exceeding five percent of the estimated cost), the Bidder shall furnish the Bid Security (Earnest Money) as under:

- a. for a sum of **Rs. 5,500,000/-**;
- b. denominated in Pak Rupees;
- c. in the form of Demand Draft / Pay Order / Call Deposit Receipt, in the name of the Purchaser; **Original Bid Security Instrument must be submitted in an envelope clearly marked with the Bidding Document Number and Title, before the E-bid Submission deadline at ITU-Procurement Office, 6th Floor, Arfa Software Technology Park, 346-B, Ferozepur Road, Lahore;**
- d. have a minimum validity period of one hundred and twenty (120) days from the last date for submission of the Tender.

7. Opening of the Tender

Tenders shall be opened at 1600 hours on the last date of submission of bids, in the presence of the Bidder(s) for which they shall ensure their presence without further invitation, as per provision of Rule-(30) of Punjab Procurement Rules, 2014. In case the last date of bid submission falls in / within the

working day.

The Bidder's name, modifications, withdrawal, security, attendance of the Bidder and such other details as the Purchaser may, at its exclusive discretion, consider appropriate, shall be announced and recorded.

No Bidder or its representative will be allowed to keep any digital device (camera, audio recorder, cell phone etc.) during tender opening meeting at given time and location.

8. Determination of Responsiveness of the Bid (Tender)

The Purchaser shall determine the substantial responsiveness of the Tender to the Tender Document, prior to the Tender evaluation, on the basis of the contents of the Tender itself without recourse to extrinsic evidence. A substantially responsive Tender is one which:

- a. Meets the eligibility criteria given herein this tender document.
- b. meets the Technical Specifications for the Goods/Items/Services;
- c. meets the delivery period / point for the Goods/Items/Services;
- d. in compliance with the rate and limit of liquidated damages;
- e. offers fixed price quotations for the Goods / Items/Services, whereby no optional offer / bid or price is allowed;
- f. is accompanied by the required Bid Security as part of bid envelope against tender only;
- g. The original receipt of tender fee submitted, attached with the bid envelope against tender only;
- h. In compliance with the Preparation/Submission of Tender in a manner prescribed in this tender document clause-13;
- i. Conforms to all terms and conditions of the Tender Document, without material deviation or reservation.

9. Technical Evaluation Criteria (Annex - G) Page # 68

The Bidder who have duly complied with the Eligibility/Qualification and Technical Evaluation Criteria will be eligible/responsive for further processing.

The Bids, which do not conform, to the technical Specifications or Bid conditions or Bids from the Bidders without adequate capabilities for supply of Goods/Items / Services will be rejected.

The Technically Responsive/ Qualified Bidder will be considered for further process.

The Technical proposal(s) shall be evaluated by the technical evaluation committee of ITU in the light of following technical evaluation criteria:

Note: Verifiable documentary proof for all above mandatory requirements will be pre-requisite for the evaluation of bids of the bidder(s) and responsive/non-responsive will be awarded on the basis of these verifiable proofs.

10. Financial Proposal Evaluation Criteria (Annex-H & I)

Technically qualified/responsive Bidder(s) shall be called for opening of the Financial Proposal(s). The Financial Proposals will be opened in the presence of the Bidders at the time and venue indicated by the Purchaser accordingly. The technically Responsive/Successful Bidder(s) or their authorized representatives shall be allowed to take part in the Financial Proposal opening.

Financial Proposal evaluation will be conducted under the Punjab Procurement Rules, 2014. The bids Prices will include all duties, taxes and expenses etc. In case of any exemption of duties and taxes given by the Government in favor of the Purchaser, the contractor shall be bound to adjust the same in the Financial Proposal:

In cases of discrepancy between the cost/price quoted in Words and in Figures, the lower of the two will be considered.

In evaluation of the price of an imported item, the price will be determined and considered inclusive of the customs and other import duties etc.;

In evaluation of the price of articles/goods/services, which are subject to excise duty, sales tax,

income tax or any other tax or duty levied by the Government, the price will be determined and considered inclusive of such duties and taxes.

Purchaser will not be responsible for any erroneous calculation of taxes and all differences arising out as above shall be fully borne by the Successful Bidder. However, any subsequent changes in rates or structure of applicable taxes by the Government at any time during execution/evaluation period will be dealt with mutual consent.

Primary Contact

Project Director

Email: pd@itu.edu.pk

6th Floor, Arfa Software Technology Park,
346-B, Ferozepur Road, Lahore, Pakistan.

Secondary Contact

For general queries relating tender document bidders may contact at: dd.purchase@itu.edu.pk

Agreement No. _____

INFORMATION TECHNOLOGY
UNIVERSITY

LAHORE, PUNJAB

1. Name of Work : **Supplying & Installation of IT Allied Works, Command & Control Center**

2. Estimated Cost _____ Rs. _____

(Both in figures and words.)

3. Time for Completion _____

4. Amount of earnest money **Rs. 5,500,000/-** _____ (in figures)

Rupees _____ (in words)

5. Issued to _____

(Name of contractor)

Signature _____

Dated _____

Office Stamp _____

Note: - The agreement will be signed once the bids are evaluated.

DETAILS DIRECTIONS FOR THE GUIDANCE OF TENDERERS

1. These directions are provided to assist the tenderer in preparing and submitting his tender. The tender shall contain all information and data required to be furnished and shall be prepared and submitted in accordance with the instructions set forth herein.
2. All necessary documents, such as copies of specifications (excluding standard specification books etc), contract documents, including bill of quantities, estimated rates and any other documents required in connection with the preparation of tender or execution of works, signed, by the Engineer-in-charge will accompany the tender form.
3. The tenderer will not be reimbursed for any costs of any kind, whatsoever, incurred in connection with the preparation and submission of his tender.
4. No single tender shall include more than one work. A tenderer who wishes to tender for two or more works shall submit tender for each work, separately.
5. The memorandum of work tendered for, and the schedule of materials and equipment to be supplied by the Engineer-in-charge and the rates at which they are to be charged for (annexed hereto) shall be filled in the office of the Engineer-in-charge before the tender form is issued. At this stage the tenderer should ensure that the tender form so issued is complete in all respects.
6. The tenderer shall note that the ultimate responsibility for the quality of work and its Conformity with the specifications and drawings rests solely with the successful bidder whose tender is accepted.
7. The tenderer shall at his own expense, inspect and examine the site and surroundings and obtain for himself, on his own responsibility, all information that may be necessary for preparing the tender and entering into contract, and shall determine and satisfy himself by such means as he may consider necessary or desirable as to all matters pertaining to the tender. The tenderer shall also satisfy himself before submitting his tender as to the nature of grounds, hydrological and climatic conditions, the form and nature of the site, the nature and lay out of the terrain, the availability of labour, water, electric power and

Contractor

Project Director

transportation facilities in the area. The tenderer shall specially investigate into the sources of materials to be used for the works and satisfy himself about the quality and quantities of materials available for the completion of the work and the means of access to the site, the accommodation he may require and, in general, shall himself obtain all necessary information, as to the risks, contingencies and other circumstances which may influence or affect his tender. The Engineer-in-charge shall not assume any responsibility regarding information gathered, interpretation or deduction which the tenderer may arrive at, from the data that may be furnished with the contract documents.

8. (a) The tenderer shall fill up the bid schedule.
(b) In case tenders are called on item rate basis, the tenderer shall quote his own unit rate in the bid schedule on which he is willing to undertake each item of work.
9. (i) The tenderer shall work out the amount against each item of work in the bid schedule and will indicate the total amount of his tender on which he is willing to complete the works. The total amount worked out in the bid schedule shall be entered by the tenderer in his tender as his tender price for the work. In case of discrepancy between amounts in figures and in words, the amount in words shall prevail.
(ii) Should any discrepancy be found in the amount of pay items or if a column of amount is found blank after filling in a unit rate, the unit rate filled by the tenderer will be extended in working out of the amount of the tender and the total amount of the bid schedule will be adjusted accordingly.
(iii) If a unit rate is left blank, but the amount against the item is filled, the unit rate will be worked out on the basis of the amount divided by the quantity of the item shown in the bid schedule.
(iv) If it is found that the tenderer has not entered any unit rate and amount against any of the pay items of the bid schedule, the Engineer-in-charge shall fill in the blanks by noting the word "Nil" in such blanks at the time of opening of the tender. Such pay items shall be deemed to be covered by the rates of other items.
(v) If the tenderer does not accept the adjusted / corrected amount of tender according to the above provision, his tender shall be rejected and the earnest money forfeited.

Contractor

Project Director

10. The tender which proposes any alteration in the works specified in the bid schedule or in the time allowed for carrying out the works or in any other condition mentioned by the Engineer-in-charge, will be liable to rejection. The tenderer shall sign each and every page of the tender and contract documents, without making any alteration. All enclosures issued with the contract documents, shall be attached with the tender duly signed by the tenderer. Any addition or alteration made after filling the form shall be duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection.
11. The tenderer shall fill in the tender documents in ink. Errors, if any, shall be scored out and corrections rewritten legibly and attested by the tenderer. Any addition or alteration made after filling the form shall be duly attested by the tenderer. Non-compliance of this condition shall render the tender liable to rejection. Any tender with unattested correction shall be attested by the tenderer in the presence of other tenderers at the time of opening of the tender except that no correction shall be permissible in the rate or amount of the bid schedule or in the tendered price after the opening of the tender.
12. Additional clause(s) for a particular work shall be typed on separate sheets by the Engineer-in-charge, which will be annexed to the contract documents specifying the number of sheets. The tenderer shall not add or delete any additional clause(s) in the additional clause(s) sheet(s), provided by the Engineer-in-charge.
13. The quantities mentioned in the bid schedule are estimated quantities, to be used for preparing tenders, and the Engineer-in-charge does not expressly nor by implication agree that the actual amount of works to be performed will correspond therewith. No payment will be made on account of anticipated profits for work covered by the contract which is not performed, nor will any adjustment in the unit rates set forth in the bid schedule be made because of an increase or decrease in the actual quantities from the estimated quantities indicated therein, except as determined in accordance with the provisions of clause 42 of the general conditions of contract.
14. No tender without earnest money shall be entertained. Earnest money (**Rs. 5,500,000**) shall be in the form of deposit at call receipt. The earnest money of the unsuccessful tenderers shall normally be returned by the Engineer-in-charge within a week of opening of the tenders and in any case not later than thirty (30) days following the date set for opening of tenders except in cases where the tenders are to be accepted by the respective competent authority, in those cases the earnest money of only three lowest bidders will be retained and returned to the unsuccessful bidders not later than (60) days of opening of the tenders. In the event of the tender being accepted, a receipt for the earnest money forwarded therewith, shall there upon be given to the contractor. The earnest money of the successful tenderer on execution of the contract covering work will be adjusted towards the amount of security deposit to be retained from the first amount(s) payable to the contractor under the contract.

Contractor

Project Director

15. The successful tenderer will be required to enter into a contract, furnish the performance security (wherever required) and to commence the work within the time specified in the memorandum of work. Should the successful tenderer refuse or fail for any reason to enter into contract, or to furnish the performance security or to commence the work within the time specified in the memorandum of work, it should constitute a just cause for the annulment of the award and in the event of such annulment, the entire earnest money shall be forfeited to UNIVERSITY, as compensation for such default.

16.
 - (i) The tender shall be signed by the person(s) duly authorized to do so. In the event of a tender being submitted by a firm, it shall be signed separately by each member thereof, or in the event of the absence of any partner, it shall be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney should be produced with tender and it must disclose that the firm is duly registered under the partnership Act, 1932 or any other law in force.

 - (ii) The tender submitted by a joint venture of two or more firms shall be accompanied, by a document of formation of the joint venture, duly registered and authenticated by a competent court, in which shall be stated precisely, the conditions under which it shall function, its period of validity, the person(s) authorized to represent it and accept its obligations the participation of several firms forming the joint venture and any other information necessary to permit a full appraisal of its function.

 - (iii) A tender submitted by a corporation must bear the seal of the corporation and be attested by its Secretary.

 - (iv) In all cases, the tender must be signed by an individual or individuals having powers to legally bind the firm, joint venture, corporation or companies on whose behalf they are signing.

17. Each tenderer shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender and of the rates and prices stated in the bid schedule, which rates and prices shall, except in so far as it is otherwise expressly provided in the contract, cover all obligations under the contract and all matters and things necessary for the proper completion and maintenance of the work.

Contractor

Project Director

18. The tenderer may modify or withdraw his tender after submission, provided that the modification or notice of withdrawal is received in writing by the Engineer-in-charge prior to the prescribed deadline for submission of tenders. The tenderer's modification or notice of withdrawal shall be prepared, sealed, marked and delivered, with the inner envelopes additionally marked "**MODIFICATION OR WITHDRAWAL**" as appropriate. No tender may be modified subsequent to the deadline for submission of tenders. Withdrawal of a tender during the interval between the deadline for submission of tenders and the expiration of the period of tender validity i.e. sixty (60) days as specified by the tenderer in the form of tender may result in the forfeiture of the tender security.
19. The tenderer shall submit the original tender documents complete in all respect and keep a copy of the tender for his own record. The original should be sealed in an inner and an outer envelope, duly marking the envelopes as "**ORIGINAL**". The inner and outer envelopes shall (a) be addressed to (Project Director), (b) and bear the following identifications: Tender for (Name of Contract), (Reference Number of Tender), and the words "**DO NOT OPEN BEFORE** (Time and Date, set for opening)". The inner envelopes shall indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared to have been received late is otherwise unacceptable. If the outer envelope is not sealed and marked as instructed above, the Engineer-in-charge will assume no responsibility for the misplacement or premature opening of the tender submitted. A tender opened prematurely because of improper identification will be rejected.
20. The tenderer shall indicate in the space provided in the tender his full and proper address at which notices may be legally served on him and at which all correspondence in connection with his tender and the contract is to be sent.
21. The presentation of tender implies full acceptance on the part of the tender of these instructions and all other conditions set forth in the contract document.
22. Any tender received by the Engineer-in-charge after the deadline for submission of tenders prescribed in the Notice Inviting Tenders will be returned unopened to the tenderer.
23. The Engineer-in-charge or his duly authorized officer (not below the rank of Assistant Engineer) will open tenders in the presence of intending tenderers or their authorized agents, who may be present at the time. The officer opening the tender will announce the name of tenderer, tender rates and the presence of requisite tender security.

Contractor

Project Director

24. Promptly after the opening of tenders, the Engineer-in-charge will undertake a detailed evaluation of tenders. The Engineer-in-charge will determine whether each tender is substantially responsive to the requirements of the tender documents and conforms to all the terms, conditions and specifications of the tender documents without material deviation or reservation. If a tender is not substantially responsive to the requirements of the tender documents, it will be rejected by the Engineer-in-charge, and may not subsequently be made responsive by the tenderer having corrected or withdrawn the non-Confirming deviation or reservation.

25. Except for information to be read out by the Engineer-in-charge at the time of opening tenders in accordance with para 23 above, no information relating to the examination, clarification, evaluation and comparison of tenders and recommendations concerning the award of contract shall be disclosed to tenderers or other persons not officially concerned with such process. Any effort by a tenderer to influence the process of examination, clarification, evaluation and comparison of tenders, and in decisions concerning award of contract, may result in the rejection of his tender.

26. To assist in the examination, evaluation and comparison of tenders, the Engineer-in-charge may ask tenderers individually for clarification of their tenders, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, but no change in the price or substance of the tender shall be sought, offered or permitted except as required to confirm the correction of arithmetical errors discovered by the Engineer-in-charge during the evaluation of the tender.

(a) In case the total tendered amount is less than 5% of the approved estimated **(DNIT)** amount, the lowest bidder will have to deposit additional performance

security from the Scheduled Bank ranging from 5% to 10% as under, within 15 days of issuance of notice or with in expiry period of bid, whichever is earlier.

TOTAL TENDERED AMOUNT BELOW CORRESPONDING ESTIMATE COST	ADDITIONAL PERFORMANCE SECURITY
5%	5%
6%	6%
7%	7%
8%	8%
9%	9%
10%	10%

Contractor

Project Director

27. The Engineer-in-charge shall have the right of rejecting all or any of the tenders without assigning any reason thereof. The Engineer-in-charge will not be bound to award the contract to the lowest or to any other tenderer.
28. The unit rates and prices entered in the bid schedule will be the rates at which the contractor will be paid (Subject to the adjustment specified in clause 55 of the annexed conditions) and shall be deemed to include all costs of performing the work, including income tax, super tax, and/ or other charges, duties and taxes of the government, autonomous, semi-autonomous and local bodies, profits and costs of accepting the general risk, liabilities and obligations set forth in or implied from the contract.
29. Prior to the expiration of the period of tender validity (120 days) prescribed in the tender form or any extension thereof that may have been granted by the tenderer, the Engineer-in-charge will notify the successful tenderer by cable and confirm in writing by registered letter that his tender has been accepted. This letter of acceptance shall name the sum which will be paid in consideration of the execution, completion and maintenance of the works as prescribed in the contract, (hereinafter called the contract price). The notification of award will constitute the formation of the contract.
30. At the time, the Engineer-in-charge notifies acceptance of the tender to the tenderer, he will send the tenderer the form of agreements between the parties. Within fifteen (15) days of receipt of the form of agreement, the successful tenderer shall furnish the performance security and sign the contract in the presence of Engineer-in-charge, failing which his bid will be rejected and bid security will be forfeited.
31. After the successful tenderer has signed the contract and furnished adequate performance security the Engineer-in-charge will notify to the unsuccessful tenderers that they were unsuccessful.
32. The completion period will be reckoned from the date of delivering the award or the handing over of the site to the contractor, which ever is later.
33. A copy of the contract agreement may be obtained by the contractor at his own cost.

Contractor

Project Director

TENDER FOR WORK

To
The Project Director

Dear Sir,

I/We

(Name of the Contractor)

the undersigned tenderer, having examined the conditions of contract, specifications, drawings, bid schedule and addenda Nos. _____ thereto, for the work of _____

(Name of the Work)

and the works associated therewith, and having examined the site of the above named works, or having caused the site to be visited on our behalf by my/our competent and reliable agent, and having satisfied myself/ ourselves as to all conditions under which the above named work must be performed, hereby offer to execute, complete and maintain the whole of the above mentioned work including its ancillary works associated therewith, in accordance with the said contract documents, including the addenda indicated above a tender price of Rs.

(Rupees) or such other sums as may be ascertained in accordance with the said conditions of contract and the rates, and the prices set forth in the bid schedule:

2. As security for the due performance of the undertaking and obligations of this tender I/We submit herewith a deposit at call receipt No. _____ dated _____ in the amount of Rs. _____ (Rupees) _____ from the _____ Bank _____ Branch _____ drawn in your favour or made payable to you as earnest money, the full value of which will be absolutely forfeited to UNIVERSITY without prejudice to any other rights or remedies of the University, should I/We withdraw or modify the tender within its validity period of sixty (60) days, following the date of receipt of tender.

3. I/We understand that if my/our tender is accepted, the full value of the earnest money as attached with the tender shall be detained by the University towards the amount of security deposit specified in clause 48 of the said conditions of contract and item (d) of the memorandum of work.

Contractor

Project Director

4. Should this tender be accepted by you I/We hereby undertake: -

- (a) To sign all the necessary documents for entering into a contract agreement in the form set out in the contract document within fifteen (15) days following your notification of such acceptance.
- (b) To commence the work within the stipulated time named in item(f) of memorandum hereto annexed following the date of issuance of your order to proceed with or the handing over of the site, whichever is later and in the event of my/our failure to do so, the entire amount of earnest money deposited by me/us for which deposit at call receipt is enclosed herewith is to be absolutely forfeited to the University. On the commencement of work, I/We hereby also agree to abide by and fulfill all the terms or provisions of the said conditions of the contract annexed hereto so far as applicable and in default thereof, to forfeit and pay to University the sums of money mentioned in the said conditions.
- (c) To complete and deliver the whole of the work comprised in the contract within the time stipulated in item No. (g) of the memorandum hereto annexed, subject to such extension in the time limit as may be granted under the conditions of contract.
- (d) The furnishing of performance security under item (h) of the memorandum Annexed here of the cost of the work in the same form and on the same conditions as are prescribed by and to the satisfaction of the Engineer-in-charge.

5. I/We also agree that when materials and or equipment for the work are provided by the University the rates to be paid for them shall be as provided in appendices annexed hereto.

6. I/We agree to abide by this tender for the period of sixty (60) days following the date set for receiving of tenders and it shall remain binding upon me/us and may be accepted by you at any time before the expiration of that period.

7. Unless and until a formal agreement is prepared and executed, this tender, together with your written acceptance thereof, shall constitute a binding contract between us, and shall be deemed for all purposes to be the contract agreement.

Contractor

Project Director

8. I/We understand that you are not bound to accept the lowest or any tender you may receive, and that you will not defray any expenses incurred by me/us in tendering.

Thanking you,

Yours Faithfully,

(Signature of Tenderer)

Dated this _____ day
of _____ 20_____

Name _____
Address _____

The above tender is hereby accepted by me on behalf of Information
Technology University of the Punjab, Lahore.

(Signature of Engineer in charge)

- In case the above address is changed, the contractor will immediately notify in writing to the Engineer in charge, his new address.

Contractor

Project Director

MEMORANDUM OF WORK

(To be filled by Information Technology University Lahore, Punjab)

(a) General Description _____
(if several sub works are included, they should be detailed on a separate sheet.)

(b) Amount of earnest money **Rs. 5,500,000/-**
(to be furnished by the tenderer in the
shape of deposit at call from a Schedule
Bank of Pakistan).

(c) Percentage of retention money to be retained from the bills.

(i) On the amount of work done upto
Rs.5 million = Ten (10) percent
(ii) On the amount of work done beyond
Rs.5 million = Five (5) percent

(e) Minimum amount of interim running bills Rs. 10 Million

(f) Mobilization period days.
07 days

(g) Time allowed to complete the work after the expiry of mobilization period
days. 120 days

(h) Amount of performance
Security in the form of Bank Guarantee (See Contract Conditions Clause 7
and general direction 26 (a)).
Five (5) percent of the accepted tender price in the case of tenders with cost
exceeding Rs.50 million and as per general condition 26(a) for all tenders. Rs.

(i) Period of maintenance (after the date of issuance of certificate of completion)
360 days

Contractor

Project Director

BID SCHEDULE

1. Name of Work: Supplying & Installation of IT Allied Works, Command & Control Center
2. Schedule of items (See Annex-I)

Contractor

Project Director

BID SCHEDULE

1. Name of Work: Supplying & Installation of IT Allied Works,
Command & Control Center

See Annex-I

**Total tender amount of the work
(To be filled in by the Tenderer)**

1. Total Cost of Schedule Items	Rs. _____
2. Total Cost of other than schedule Items / Item Rates	Rs. _____
Grand Total	Rs. _____
(In Words) Rupees _____	

Contractor

Project Director

GENERAL CONDITIONS OF CONTRACT

DEFINITIONS AND INTERPRETATIONS

DEFINITIONS

CLAUSE-1

In the contract (as herein after defined) the following words and expressions shall have the meanings hereby assigned to them, except where the context otherwise requires: -

- (1) **“Agent”** means the person appointed by the contractor to act on his behalf in his absence;
- (2) **“Certificate of completion”** means the certificate of completion given by the Engineer-in-charge pursuant to clause 40 of these conditions;
- (3) **“Contract”** means the contract agreement, the documents set out therein and includes the conditions of contract, the tender and acceptance thereof, the specifications, the drawings, the bid schedule, schedule of rates and the prices;
- (4) **“Contractor”** means the person or persons, firm or company whose tender has been accepted by the Engineer-in-charge, and shall include the contractor's duly authorized representative, successors and assignees;
- (5) **“Contract Price”** means the sum named in the tender, subject to such addition thereto or deductions there from as may be made under the provisions of the contract;
- (6) **“Constructional Plant”** means all appliances, or things required in or about the execution, completion, or maintenance of the works or temporary works, but does not include the materials or other things intended to form or forming part of permanent or temporary works;
- (7) **“Drawings”** means the drawing(s) referred to in the contract documents and any modifications of such drawing(s) as may from time to time be furnished or approved in writing by the Engineer-in-charge;
- (8) **“Engineer-in-charge”** means the Engineer or any other officer who for the time being and from time to time is in charge of the works and includes an officer appointed by the University. Engr. Usman Ali Alvi is hereby designated by the University to act as Engineer-in-charge for the Purpose of the contract.

Contractor

Project Director

(9) **“University”** means (Information Technology University of the Punjab, Lahore)

(10) **“Period of Maintenance”** means the period during which the contractor is obliged to guarantee the work or defined portions of work against defect and during which he is obliged to perform any maintenance procedure that may be specified by the Engineer-in-charge and shall be calculated from the date of the certificate of completion given by the Engineer-in-charge in accordance with clause 40 hereof or in the event of more than one certificate having been issued by the Engineer-in-charge under the said clause from the respective dates so certified;

(11) **“Maintenance”** means the repairs, amendment, and reconstruction and includes the rectification of defects imperfections, shrinkages and other faults except fair wear and tear as may be required of the contractor in writing by the Engineer-in-charge during the period of maintenance;

(12) **“Programme of Work”** means the Programme of work submitted by the contractor and approved by the Engineer-in-charge and includes and amendment there to made from time to time and approved by the Engineer-in-charge;

(13) **“Item Rates”** mean the rates determined on the basis of the market rates system introduced by the Government in replacement of the Composite Schedule of Rates 1998 through Finance Department Notification No.RO(Tech) F.D.2-3/2004 dated 02-08-2004.

(14) **“Site”** means the lands and other places on, at, over, under; in or through which the works are to be executed or carried out in pursuance of the contract or any adjacent land, or part or street, which may be allotted or used for the purpose of carrying out the contract or any lands or places provided by the Engineer-in-charge for the purpose of the contract together with such other places as may be specifically designated in or pursuant to the contract as forming part of the site;

(15) **“Specifications”** means the specification referred to in the tender and any modification thereof or addition thereto as may from time to time be furnished or approved in writing by the Engineer-in-charge

(16) **“Temporary Works”** means all temporary works of every kind required in or about the construction, completion or maintenance of the works;

(17) **“Works”** means the works to be executed in accordance with the contract and includes any permanent works as required for the performance of the contract.

Contractor

Project Director

CLAUSE-2

**Marginal
headings for
information
only**

The marginal headings, the words, notes, titles and phrases used in these general conditions and documents attached hereto, are strictly for information and direction of the reader with regard to the contents of the said documents and shall by no means be invoked for interpretation of the said clauses nor shall they be deemed to be part thereof or be taken into consideration in the interpretation thereof or of the contract.

CLAUSE-3

**Terms to
include
designation of
corresponding
post**

The term "University Engineer" or "Project Director" used in the contract and the documents attached thereto, shall be the holder in corresponding posts in relation to the work.

CONTRACT DOCUMENTS

CLAUSE-4

**Documents
mutually
explanatory**

Except if and to the extent otherwise provided by the contract, the conditions of contract and additional conditions annexed hereto shall prevail over those of any other document forming part of the contract.

Subject to the foregoing, the several documents forming the contract are to be taken as mutually explanatory of one another, but in case any error, omission, ambiguity or discrepancy is found between these documents, the same shall be reported to the Engineer-in-charge who shall correct such error or omission or explain and adjust the ambiguity or discrepancy, as the case may be, and shall thereupon issue to the contractor instructions directing in what manner the work is to be carried out. Provided always that if in the opinion of the Engineer-in-charge compliance with any such instructions shall involve the contractor in any expenses which by reason of any such error, omission, ambiguity or discrepancy, the contractor did not have reasons to anticipate, the Engineer-in-charge shall pay such additional sums as he shall certify to be reasonable to cover such expenses. Provided further that any work done by the contractor, which perpetuates or adds to any error, omission, ambiguity or discrepancy, already discovered and pointed out, shall be considered to have been done at the contractor's own risk.

Contractor

Project Director

CLAUSE-5

(1)

**Custody
of
drawings**

The drawings shall remain in the sole custody of the Engineer-in-charge but two sets of the detailed or working drawings will be obtained by the contractor free of cost from the Engineer-in-charge after acceptance of his tender. The contractor shall provide and make at his own expense any further copies required by him. On the completion of the contract, the contractor shall return to the Engineer-in-charge all drawings provided to him under the contract.

(2)

**Classified
Drawings**

If so instructed, the contractor shall undertake not to disclose details of classified drawings, other than to men in his employ, and will give an undertaking to the Engineer-in-charge that these drawings are not replicated or passed on to others or used by any other agency/person.

(3)

**One copy of
Drawing to be
kept on site.**

One copy of the drawings, furnished to the contractor as aforesaid shall be kept by the contractor on site and the same shall at all reasonable times also be made available for inspection and used by the Engineer-in-charge or by any of his superior officer, or by any other person authorized by the Engineer-in-charge in writing.

(4)

**Further
drawings and
instructions**

The Engineer-in-charge shall supply to the contractor, from time to time during the progress of the works, such further drawings and instructions as shall be necessary for the purpose of the proper and adequate execution and maintenance of the works, and the contractor shall carry out and be bound by the same. The contractor shall give adequate notice in writing, to the Engineer-in-charge of any such further drawing and instructions that the contractor may require for execution of works or otherwise under the contract.

GENERAL OBLIGATIONS

CLAUSE-6**Contract
Agreement**

The contractor shall, when called upon so to do by the Engineer-in-charge enter into and execute a contract agreement in the form annexed.

Contractor**Project Director**

CLAUSE-7

Performance security

The contractor shall (a) within 15 days of the receipt by him of the notification of the acceptance of his tender furnish to the Engineer-in-charge in bank draft, Cashier's Cheque or payment order or Bank Guarantee from any

scheduled bank of Pakistan, the amount to make up the full performance

security where required and specified in the tender, and/or (b) permit University at the time of making any payment to him for work done under the contract deduct such sum as specified in item (h) of memorandum and moneys or deductions so paid or made shall be held as additional security deposit. All compensation or the sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of sufficient part of his performance security, and in the event of his performance security reduced by reason of any such deduction or sale as aforesaid the contractor shall within ten days thereafter make good in cash or other securities as aforesaid any sum or sums which may have been deducted from, or raised by sale of performance security or any part of thereof.

If the amount of the performance security is not furnished within the period specified at (a) above, the tender already accepted shall be considered as cancelled and the tender security will be confiscated by the Engineer-in-charge. The performance security deposit lodged by a contractor (in cash or/other form or retained in installments from his bills) shall be refunded to him after the expiry of three months from the date on which the work is accepted, or along with the final bill if it is prepared after that period on account of some unavoidable circumstances.

CLAUSE-8

Programme of work to be furnished if so required by Engineer-in-charge.

(i) The contractor shall if so required by the Engineer-in-charge submit in writing to the Engineer-in-charge within the period specified by him for his approval a programme showing the order of procedure and the method in which he proposes to carry out the works. The time and progress chart shall be prepared in direct relation to the time period stated in item (g) of the memorandum hereto annexed for the completion of individual items thereof and the works as a whole. It shall indicate the forecast of the date for commencement and completion of various trade processes or section of the works, and shall be amended as may be required by agreement between the Engineer-in-charge and the contractor within the limitation of time imposed in the contract documents.

Contractor

Project Director

- (ii) The contractor shall also, whenever required by the Engineer-in-charge, furnish for his information full particulars in writing of the organization and staff by which he proposes to direct and administer his performance of the contract and also such further information concerning the contractor's arrangements for the carrying out the work and of the constructional plants or temporary works which the contractor intends to supply, use or construct, as the case may be.
- (iii) The submission to and approval by the Engineer-in-charge of such Programme, or the furnishing of such particulars or information shall not relieve the contractor of any of his duties or responsibilities under the contract.
- (iv) In the event of the non-submission of the Programme or revised/amended programme of work by the contractor for approval by the Engineer-in-charge within the period specified by the Engineer-in-charge, the contractor shall be liable to pay as compensation an amount, equal to $\frac{1}{4}$ % per day or such smaller amount as the Engineer-in-charge, (whose decision in writing shall be final) may decide on the total tendered amount of the work, subject to maximum of 2% of contract amount.

Action when Programme not submitted in time

CLAUSE -9

Setting out

The contractor shall be responsible for the true and proper setting out of the works in relation to original points, lines and levels of reference given by the Engineer-in-charge in writing and for the correctness (subject as above mentioned) of the position, levels, dimensions and alignments of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith. If at any time during the progress of the work, any error shall appear or arise in the position, levels, dimensions, or alignment or any part of the works, the contractor on being required so to do by the Engineer-in-charge, shall at his own expense, rectify such error to the satisfaction of the Engineer-in-charge, unless such error is based on incorrect data, supplied in writing by the Engineer-in-charge, in which case the expenses of rectifying the same shall be borne by the University. The checking of any setting out or of any line or levels by the Engineer-in-charge shall not in any way relieve the contractor of his responsibility for the correctness thereof, and contractor shall carefully protect and preserve all points, marks, lines, levels, bench marks, site-rails, pegs, slope stakes, batten-boards, stakes or location, and other things used in setting out the works.

Contractor

Project Director

CLAUSE-10

Work to be executed in accordance with the specifications drawings orders etc.

The contractor shall execute the whole and every part of the works in the most substantial and workman-like manner, and both as regards material and otherwise in every respect in strict accordance with the specifications. The work executed by the contractor shall also conform to the design(s) and/or drawings and instructions in writing relating to the work signed by the Engineer-in-charge and lodged in his office, and to which the contractor shall be entitled to have access at such office, or on the site of the work for the purpose of inspection during office hours. The contractor shall, if so required; be entitled at his own expenses to make or cause to be made copies of specifications, and of all such designs, drawings and instructions as aforesaid.

CLAUSE-11

Action where no specifications are provided

In the case of any class of work for which there is no such specification as mentioned in para-2 of the general directions for the guidance of the tenderer annexed hereto, such work shall be carried out in accordance with the prescribed standard specifications, and in the event of there being no such specifications, in accordance with the specification attached with the tender, if however, there is no standard specification or specifications attached with the tender, the work shall be carried out, in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

CLAUSE-12

Works to be under direction of Engineer-in-charge

All works to be executed under the contract shall be executed under the directions and subject to the approval in all respects, of the Engineer-in-charge who shall be entitled to direct at what point or points and in what manner they are to be commenced and from time to time carried on.

CLAUSE-13

Lighting at night work

- (i) In the event of night work being carried on, the contractor shall provide and maintain such good and sufficient lights as will enable the work to proceed with satisfactorily and without danger.

Similarly, the approach to the site and works where the night work is

Contractor

Project Director

being carried out shall be efficiently lighted. All arrangements adopted for such lighting shall be to the satisfaction of the Engineer-in-charge.

(ii) **Watching and lighting** The contractor shall in connection with the works provide and maintain at his own cost all lights, warning lights, caution boards, attendants, guard fencing and watch men, when and where necessary or required by the Engineer-in-charge, for the protection of the work or for the safety and convenience of the public or others.

CLAUSE-14

Arrangements to safeguard danger to unfinished work

The contractor is expected to make himself acquainted with the weather conditions, etc., and make his arrangement in such a manner that unfinished work is not in danger from storms, floods, etc. A claim by the contractor for a loss caused by any such eventuality will not be entertained by the University.

CLAUSE-15

Contractor to supply plant, ladders, scaffoldings, etc.

The contractor shall supply at his own cost all materials (expect such material, if any as may in accordance with the contract be supplied from the departmental store) constructional plants, tools, appliances, implements, ladders, cordage, tackles, scaffoldings and temporary works, requisite or proper for the execution of the works, whether original, altered or substituted, and whether included in the specifications or other documents forming part of the contract referred to in these conditions or not, or which may be necessary for the purpose of satisfying or complying with the requirements of the Engineer-in-charge as any matter as to which under these conditions he is entitled to be satisfied, or which he is entitled to require together with carriage therefore, to and from the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing, and assisting in measurement or examination at any time, and from time to time of the work or materials. Failing his so doing the same may be provided by the Engineer-in-charge at the expense of the contractor, and the expenses may be deducted from any money due to the contractor under the contract, or from his security deposit. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear the

Contractor liable to pay damages arising from non-provision of lights, fencing, etc.

Contractor

Project Director

expenses of defense of every suit action or other proceedings at law that may be brought by any person for injuries sustained by him owing to neglect in taking the above precautions and to pay any damages and costs which may be awarded in any such suit, action or proceedings to any such person, or which may with the consent of the contractor be paid to compromise any claim by any such person.

CLAUSE-16

Notice to be given before the work is covered up

The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinates in charge or the work, before covering up or otherwise placing beyond the reach of measurement any work in order that the same may be measured, and correct dimensions thereof be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement any work without the consent in writing of the Engineer-in-charge or his subordinate in charge of the work. If any work is covered up or placed beyond the reach of measurement, without such notice having been given and consent obtained, the same shall be uncovered at the contractor's expenses, and no payment or allowance shall be made for such work or the materials with which the same was executed.

CLAUSE-17

(1)

Contractor's employees

The contractor shall provide and employ on the site for the purpose of and in connection with the execution and maintenance of the work under the contractor:

(a) Only such engineer and technical assistance as are skilled and experienced in their respective callings, and such sub-agents, foremen and leading hands as are competent to give proper supervision of the work, they are required to supervise, and

(b) Such skilled, semi skilled and unskilled labour as is necessary for the proper and timely execution and maintenance of works under the contract.

The Engineer-in-charge shall have full powers at all times to object to the employment and to require the contractor to remove forthwith from the site, the agent, workman, foreman or any other person employed by the contractor or any sub-contractor, who in the opinion of the Engineer -in - charge

Removal of contractor's employees

Project Director

Contractor

misconducts himself or is incompetent or negligent in the proper performance of his duties or whose employment is otherwise considered by the Engineer-in-charge to be undesirable, and the contractor shall comply with the request forthwith.

(b) No such agent, workman, foreman or other employees after his removal from the work by request of the Engineer-in-charge shall be re-employed or reinstated by the contractor for the purposes of and in connection with the contract at any time, except with the prior approval in writing of the Engineer-in-charge.

CLAUSE-18

Whole time qualified technical personnel for supervision of work

(a) The contractor shall employ for each contract, whole time qualified technical personnel to the satisfaction of the Engineer-in-charge for the supervision of the work at the scale given below: -

On contracts valuing:-

(i) Upto Rs.7.5 million	One diploma engineer
(ii) Exceeding Rs.7.5 million	One senior graduate engineer One Junior graduate engineer.
(iii) For this project the contract shall depute the Technical Staff as required in the Appendix of requirements attached.	

(b) If the contractor fails to employ the qualified technical personnel to the above scale, the Engineer-in-charge shall, after giving the contractor 15 days notice to this effect, have the option to employ to make up the deficiency in the number of such persons at the risk and cost of the contractor.

CLAUSE-19

Opportunities for other contractors

The contractor shall in accordance with the requirements of the Engineer-in-charge afford all reasonable opportunities for carrying out the work by any other contractor(s)/specialist contractor(s) executing a part of the original work

or ancillary to the work, employee/workmen of such contractor(s) of those of the University, who may be employed in execution of, or near the site of work not included in the contract. If, however, the contractor provides any material services/assistance or facilities to any such contractor or to the University on the written request of the Engineer-in-charge, he shall be paid a reasonable sum as determined by the Engineer-in-charge or paid according to provision in bid schedule if already made therein.

CLAUSE-20

(1) The contractor shall indemnify and keep indemnified the University against all losses and claims for injuries or damage caused to any person or any property whatever, (other than surface or other damage to land or crops being on the site

Contractor

Project Director

suffered by tenants or occupants) which may arise out of or in consequence of the construction and maintenance of the works and against all claims, demands, proceedings, damages, costs, charges and expenses whatever in respect of or in relation thereto. Provided always that nothing herein contained shall be deemed to render the contractor liable for, or in respect of or to indemnify the University against any compensation or damages for or with respect to: -

- (a) The permanent use of occupation of land by the works or any part thereof or (save as hereinafter provided) surface or other damage as aforesaid.
- (b) The right of the University to construct the works or any part thereof on, over, under, in or through any land.
- (c) Interference whether temporary or permanent with any right of light, air, way or water or other assessment of quasieasement which is the unavoidable result of the construction of the works in accordance with the contract.
- (d) Injuries or damage to persons or property resulting from any act or neglect done or committed during the currency of the contract of the University, its agents, servants or other contractors (not being employed by the contract) or for or in respect of any claims, demands, proceedings, damages, costs charges, and expenses in respect thereof or in relation thereto.

Provided further that for the purposes of this clause the expression "the site" shall be deemed to be limited to the Area defined in the specification or shown on the drawings in which land and crops will be disturbed or damaged as an inevitable consequence of carrying out the works.

(2) Indemnity by the University	The University will indemnify the Contractor for and against all claims, demands, proceedings, damages, costs, charges and expenses in respect of the matters referred to in the proviso to sub-clause (1) of the clause.
--	---

Note: - The limit for the application of this clause is as under: -

"Contracts exceeding Rs.5 million"

CLAUSE-21

Work to be open to inspection	All works under or in the course of execution or executed in pursuance of the contract, shall at all time be open to inspection and supervision of the Engineer-
--------------------------------------	--

Contractor

Project Director

Contractor or his responsible agent to be present in-charge or his subordinate, and the contractor shall at all times during the usual working hours and at all other times for which reasonable notice of the intention of the Engineer-in-charge, his senior or his subordinate to visit the works shall have been given to the contractor, either himself be present to receive orders and instruction or have an agent, duly accredited in writing present for that purpose. Orders given to the contractor's agent shall be considered to have the same force as if they have been given to the contractor himself.

CLAUSE-22 The contractor shall give all notices, and at his own cost pay all fees, required

(i) to be given or paid by any national or state statute, ordinance or other laws any regulation or by-laws of any local or other duly constituted authority in relation to the execution of the works or of any temporary works and by the rules and regulations of all public bodies and companies whose property or rights are affected or may be affected in any way by the works or any temporary works.

The contractor shall conform in all respects with the provisions of any such

(ii) federal, provincial and local statutes, ordinance or law as aforesaid and the regulations or by-laws of any local or other duly constituted authority, which may be applicable to the works, or to any temporary works and with such rules and regulations of Public Bodies and companies as aforesaid and shall keep the University indemnified against all penalties and liabilities of every kind for breach of any such statutes, ordinance or law, regulation or by-laws.

The contractor shall be responsible for the payment of all income tax, super tax

(iii) and other Government or local taxes arising out of the contract, which shall not be reimbursed to him by the Government and the rates and prices stated in the bid schedule shall be deemed to cover all such taxes.

Payment of income tax and other taxes.

Project Director

Contractor

CLAUSE-23**Cost of bonds**

The cost of various bonds to be entered into and executed between the contractor and the Engineer-in-charge shall be in all respects, at the expense of the contractor.

CLAUSE-24**Change in the constitution of firm**

In the case of tender by partners, any change in the constitution of the firm, joint venture, company or corporation shall be forthwith notified by the contractor to the Engineer-in-charge for his information.

CLAUSE-25**Photographs and advertisements.**

Photographs of the works shall be taken by permission of the Engineer-in-charge. Only signs or other advertisement approved by the Engineer-in-charge may be displayed at or near the works. Photographs of the works shall not be published without prior approval of the Engineer in charge which shall not be unreasonably withheld.

ASSIGNMENT AND SUB-LETTING**CLAUSE-26****Assignment**

The contractor shall not assign the contract or any part thereof or any benefit or interest therein or there under without the prior written consent of the Engineer-in-charge.

CLAUSE-27**Subletting**

The contractor shall not sublet the works or any part thereof except where otherwise provided by the contract, without the prior written consent of the Engineer-in-charge and such consent, if given, shall not relieve the contractor from any liability or obligation under the contract and he shall be responsible for the acts, defaults and negligence of any sub-contractor, his agents, servants or workmen as if they were the acts, defaults or neglects of the contractor, his agent, servants or workmen. Provided always that the provision of labour as a piecework basis shall not be deemed to be a subletting under this clause.

Contractor**Project Director**

MATERIAL AND WORKMANSHIP

CLAUSE-28

Quantity of materials and workmanship and tests	(1) All materials and workmanship shall be of the respective kinds described in the contract and in accordance with the instructions of the Engineer-in-charge and shall be subjected from time to time to such tests as the Engineer-in-charge may direct at the place of manufacture or fabrication or on the site or at all or any of such places. The contractor shall provide such assistance instruments, machines, labour and materials as are normally required for examining, measuring and testing any work and the quality, weight or quantity of any material used and shall supply samples of materials before incorporation in the works for testing, as may be selected and required by the Engineer-in-charge.
Cost of samples	(2) All samples shall be supplied by the contractor at his own cost if the supply thereof is clearly intended by or provided for in the specifications or bill of quantities but if not then at the cost of the University.
Costs of Tests	(3) The cost of making any test shall be borne by the contractor if such test is clearly intended by or provided for in the specification or bill of quantities and (in the case only of a test under load or of a test to ascertain whether the design or any finished or partially finished work is appropriate for the purposes which it was intended to fulfill) is particularized in the specification or bill of quantities in sufficient detail to enable the contractor to price or allow for the same in his tender.
	(4) If any test is ordered by the Engineer-in-charge which in either: -
Cost of tests etc. not provided for	(a) Not so intended by or provided for; or (b) (in the cases above mentioned) is not so particularized; or (c) Through so intended or provided for is ordered by the Engineer-in-charge to be carried out by an independent person at any place other than the site or the place of manufacture or fabrication of the materials tested. Then the cost of such test shall be borne by the contractor if the test shows the workmanship or materials not to be in accordance with the provisions of the contract or the instruction of the Engineer-in-charge but otherwise by the University.

Contractor

Project Director

CLAUSE-29

**Constructional material, fittings.
etc. to conform to representative samples approved by the Engineer-in-charge**

Before any constructional material, fittings is brought to the site of work, the contractor shall submit to the Engineer-in-charge representative samples of the material fittings, etc, he proposes to use. The samples after approval will be retained by the Engineer-in-charge in his custody and the contractor shall be responsible for ensuring that materials and fittings, etc., conforming to such samples are used through out the contract, failing which the material, fittings, etc., will not be accepted and shall be removed forthwith from the site of work if so desired by the Engineer-in-charge.

CLAUSE-30

Stores to be supplied by University.

If the specification, or the estimate of the work provides for the use of any special description of material and equipment to be supplied from the Engineer-in-charge's store or if it is required that the contractor shall use certain stores to be provided by the Engineer-in-charge (such materials, stores and equipment and the prices to be charged therefore as hereinafter mentioned being so far as practicable for the convenience of the contractor but not so as in any way to control the meanings or effect of this contract specified in the schedule of memorandum hereto annexed), the contractor shall be supplied with such materials and stores as required from time to time to be used by him for the purpose of the contract only; and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule or memorandum may be set off or deducted from any sums due or to become due, to the contractor, under the contract or otherwise: or against or from the security deposit. All materials supplied to the contractor shall remain the absolute property of the University, and shall not, on any account be removed from the site of works without the written permission of the Engineer-in- charge, and shall at all times be open to inspection of the Engineer-in-charge. Any such material unused or in perfectly good condition at the time of the completion or termination of the contract shall be returned to the Engineer-in- charge's store, if by a notice in writing under his hand he shall so require; but the contractor shall not be entitled to return any such materials unless with such consent, and shall have no claim for compensation on account of any such materials so supplied to him, as aforesaid being unused by him, or for any wastage in or damage to any such materials.

Contractor

Project Director

CLAUSE-31

Action and compensation payable in cases of bad work.

If it shall appear to the Engineer-in-charge or to his subordinate in charge of the work, that any work has been executed with unsound, imperfect, or unskillful workmanship or that any materials or articles provided by him for the execution of the work are unsound, or of a quality inferior to that contracted for, or otherwise not in accordance with the contract the contractor shall on demand in writing from the Engineer-in-charge specifying the work, materials or articles complained of not with standing that the same may have been inadvertently passed, certified and paid for, forthwith rectify, remove and reconstruct the work so specified in whole or in part, as the case may require, or as the case may be, remove the materials or articles so specified and provide material as originally contracted or articles at his own proper charge and cost, and in the event of his failing to do so within a period to be specified by the Engineer-in-charge in his demand aforesaid, then the Engineer-in-charge may rectify or remove and re-execute the work, remove and replace with others, the materials and articles complained of, as the case may be, by his own workman or by other contractor and recover from the contractor towards the cost thereof a sum equal to the sum actually incurred by the Engineer-in-charge (whose certificate as to the amount of the work shall be final and binding on the parties plus departmental charges on the amount so incurred equal to ten (10) percent or such smaller amount as the Engineer-in-charge (whose decision in writing shall be final) may decide, and deduct the same from any money due or that becomes due to the contractor under this contract or on any account whatsoever, due by University to the contractor. Measures of rectification will be decided by the Engineer-in-charge and may include additional work necessary to strengthen or set right the unusual work carried out by the contractor.

LABOUR

CLAUSE-32

Application of labour laws and rules.

The contractor shall employ labour, provide all facilities and pay wages to his work people or employees in accordance with the labour laws or enactments relating thereto and rules framed there under, enforce from time to time.

CLAUSE-33

Contractor liable for payment of compensation to injured workman or in case of death to his relations

- (1) In every case in which by virtue of the provision of Section 12, sub section (1) of the workman's Compensation Act 1923 Government is obliged to pay compensation to a workman employed by the contractor in execution of the work University will recover from the contractor the amount of the compensation so paid and without prejudice to the rights of the Government

Contractor

Project Director

under section (12), sub section (2) of the said Act. University shall be at liberty to recover such amount or any part thereof, by deducting it from the security deposit or from any sum due by University to the contractor, whether under the contract or otherwise.

(2) University shall not be bound to contest any claim made against under section 12, sub section (1) of the said Act, except on the written request of the contractor and upon his giving to the University full security for all costs which University might become liable in consequence of contesting such claims.

CLAUSE-34

Use of donkeys and other animals

- (i) No contractor shall use donkeys or other animals with breaching of string or thin rope. The breaching must be at least 75mm wide and should be of tape (Nawar).
- (ii) No animal suffering from sores, lameness or emaciation or which is immature shall be used on the work.

COMMENCEMENT, TIME AND DELAYS

CLAUSE-35

Commencement of work

The contractor shall commence the works on the site within the period named in the memorandum, after the receipt by him of an order in writing to this effect from the Engineer-in-charge and shall proceed with the same with due diligence and without delay, except as may be expressly sanctioned or ordered by the Engineer-in-charge or be wholly beyond the contractor's control.

CLAUSE-36

Time for Completion

Subject to any requirements in the specification as to the completion of any portion of the works before completion of the whole, the whole of the works shall be completed within the time stated in the memorandum or such extended time as may be allowed under clause 37 hereof.

CLAUSE-37

Extension of time for completion

If by reasons of the amount of extra or additional work of any kind or variation of form, quality or quantity of the works or any part thereof ordered by the Engineer-in-charge, or on the ground of his having been unavoidable hindered in the execution of the work or on any other ground or other special circumstances of any kind whatsoever, or any cause beyond the reasonable control of the

Contractor

Project Director

contractor, the work is delayed or impeded or the contractor prevented from whether by the Engineer-in-charge or otherwise howsoever, or hindered in the execution or completion of the work or any part thereof, whether such delay or impediment or prevention or hindrance occurs before or after the time or extended time fixed for completion the contractor shall apply in writing to the Engineer-in-charge within thirty, days of the date of such circumstances, the full and detailed particulars of the claim on account of which he desires an extension as aforesaid. The Engineer-in-charge shall, if in his opinion (which shall be final) reasonable grounds shown therefore by the contractor are such as fairly to entitle the contractor to an extension of time for the completion of the work, authorize him from time to time in writing, either prospectively or retrospectively, such extension of time for the completion of the work or any part thereof, as may in his opinion be necessary or proper.

CLAUSE-38

No work at night or no Sundays/	Subject to any provision to the contrary contained in the contract, none of the permanent work shall save as here in after provided be carried on during the night or on Sundays or public holidays without the permission of the
Public Holidays	Engineer-in-charge save when the work is unavoidable or absolutely necessary for the saving of life or property or for the safety of the works in which case the contractor shall immediately advise the Engineer-in-charge. Provided always that the provisions of this clause shall not be applicable in the case of any work which it is customary to carry out by rotary or double shifts.

CLAUSE-39

Compensation for delay	(a) The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor. The works shall throughout the stipulated period of the contract be proceeded with all due diligence in accordance with the programme of work, as approved by the Engineer-in-charge or any amended programme of work approved by the Engineer-in-charge from time to time (time and quality being deemed to be the essence of the contract on the part of the contractor) and the contractor shall pay as compensation an amount equal to one
-------------------------------	--

Contractor

Project Director

percent of the amount of contract, subject to maximum of 10% or such smaller amount as the Engineer-in-charge (whose decision in writing shall be final) may decide, on the amount of the estimated cost stated in item (b) of the memorandum of work annexed hereto for every day.

Rate of Progress

(b) In order to ensure good progress during the execution of the work the contractor shall be bound, in all cases in which time allowed for any work exceeds thirty days, to complete each part of the work or its component, as per programme of work or any revision or amendment to it approved by the Engineer-in-charge. In the event of the contractor failing to comply with this condition, without sufficient reasons acceptable to the Engineer-in-charge, he shall be liable to pay as compensation an amount equal to one percent or such smaller amount as the Engineer-in-charge (whose decision in writing shall be final) may decide on the estimated cost of the work as named in the item (b) of the memorandum hereto annexed for every day that the due quantity of work remains incomplete. Provided always that the entire amount of the compensation to be paid under the provisions of this clause shall not exceed ten percent of the estimated cost stated in item (b) of the memorandum of work annexed hereto.

CERTIFICATE OF COMPLETION

CLAUSE-40

Certification of completion of work

Without prejudice to the right of the University under any such clause(s) herein contained, as soon as in the opinion of the Engineer-in-charge, the works shall have been substantially completed and shall have satisfactorily passed any final test that may be prescribed by the contract, the Engineer-in-charge will issue to the contractor a certificate of completion in respect of the work, and the period of maintenance of work shall commence from the date of such certificate, provided that the Engineer-in-charge may give such a certificate with respect to any independent part of the works before the completion of the whole of the works, and when any such certificate is given in respect of such a part of the works, such part shall be considered as completed and the period of maintenance of such part shall commence from the date of such certificate. Provided also that a certificate of completion given in accordance with the foregoing provisions of any part of

Contractor

Project Director

the works shall not be deemed to certify completion of any ground or surface requiring reinstatement, unless such certificate shall expressly so state. Provided further that no such certificate shall be given nor shall the works or any of its parts be considered to be complete until the contractor shall have removed from the premises on which the works or any such parts shall be executed, all scaffoldings, surplus materials of all kinds and rubbish, buildings and other construction materials of all kinds and cleaned off the dirt from all woodwork, doors, windows, walls, floors, or other parts of any buildings, or road works and road structures, water supply, sewerage, or drainage works, sanitary installations, gas and electric fittings, in, upon, or about which the works are to be executed, or which he may have had possession for the purpose of the execution thereof, nor until the works shall have been measured by the Engineer-in-charge whose measurements shall be binding and conclusive against the contractor.

If the contractor shall fail to comply with the requirements of this clause as to the removal of scaffoldings, surplus material of all kinds and rubbish as aforesaid and cleanings of dirt on or before the date fixed for the completion of the works, the Engineer-in-charge may at the expense of the contractor, remove such scaffoldings or surplus materials of all kinds and rubbish and dispose of the same as he thinks fit, and clean off such dirt as aforesaid and the contractor shall forthwith pay the amount of all expenses so incurred, and shall have no claim in respect of any such scaffoldings or surplus materials of all kinds as aforesaid, except for any sum actually realized by sale thereof.

ALLTERATIONS, ADDITIONS AND OMISSION

CLAUSE-41

Alterations in specifications and drawings.

The Engineer-in-charge shall have power to make any alteration in, omission from, addition to, or substituted for, the original specification, drawing designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and the contractor shall be bound to carry out the works in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alterations, omission, additions or substitutions shall not invalidate the contract, and any altered, additional or substituted work which the contractor may be directed to do in manner above specified as part of the work, shall be carried out by the contractor on the same

Alterations omissions or substitution do not invalidate the contract

Contractor

Project Director

conditions in all respects on which he agreed to do the main work, and the same rates as are specified in the tender (bid schedule for the main work). The time for the completion of the work shall be extended in the proportion that the altered, additional or substituted work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion.

Extension of time in consequence of alterations

And, if the altered, additional or substituted work includes any item of work, for which no rate is specified in this contract, then such items of work shall be carried out at the item rates enforced at the time of receipt of tenders with reference to which the tender for the work was submitted by the contractor.

Rates of works not in schedule of rates, bid schedule or in the estimates

If such altered, additional or substituted item(s) of work is not entered in the bid schedule, then the contractor shall within seven days of the date of receipt of the orders to carry out the work inform the Engineer-in-charge of the rate which it is his intention to charge for such items of work, and if the Engineer- in-charge does not agree to this rate, or the approval to this rate (or the negotiated rate, if any), is not communicated to the contractor within a period of thirty (30) days reckoned from the date of receipt by the Engineer-in-charge of the proposed rate, the Engineer-in-charge shall by a notice in writing be at liberty to cancel his order to carry out such item of work and arrange to carry it out in such a manner as he may consider advisable, provided always that if the contractor shall commence work or incur an expenditure in regard thereto, before the rates shall have been determined as lastly hereinafter mentioned, he shall do so at his own risk and cost.

No deviation from specification stipulated in the contract or additional items of work shall be carried out by the contractor unless the rate of the substituted, altered or additional items have been approved in writing failing which University will not be bound to entertain any claim on this account. The interpretation of the Engineer-in-charge in the event of any dispute due to any ambiguity in the specification or nomenclature shall be binding and final.

Contractor

Project Director

CLAUSE-42

No compensation for alteration in or restriction of work to be carried out, if variation does not exceed 20%

If at any time after the commencement of the work, the Engineer-in-charge shall for any reason whatsoever, not require the whole thereof as specified in the tender (bid schedule annexed hereto) to be carried out, or increase or decrease in the quantity of work included in the contract or omit any such work, or change the contract or quality or kind of any such work, or change the levels, lines, position and dimensions of any part of the works, or require the contractor to execute additional work of any kind necessary for the completion of the work, the Engineer-in-charge shall give notice in writing of this fact to the contractor, who shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out; neither shall he have any claim for compensation by reasons of any alteration having been made in the original specifications, drawings, designs, and instructions which shall involve any curtailment or increase of the work, as originally contemplated; nor shall the contractor be entitled to any adjustment in the unit rate/price or amount of the contract, if the aggregate effect of all such alterations, additions, omissions, or adjustments (other than those arising out by reasons of price variation under clause 55 hereof) on completion of the whole of the works, does not exceed 20 percent of the sum named in paragraph of 1 (one) of this tender.

Variation exceeding 20%

If, on completion of the whole of the works, it shall be found that a reduction or increase greater than 20 percent of the sum named in paragraph 1 of the tender results from the aggregate effect of all increases, decreases omissions or adjustments (other than those arising out because of price variation under clause 55 hereof), as a result of the requirement of the Engineer-in-charge, the amount of the contract price shall be adjusted by such sum(s) as may be determined by the Engineer-in-charge and the contractor. In the event of disagreement, the Engineer-in-charge shall fix such sum as shall, in his opinion, be reasonable and proper, regard being had to all materials and relevant factors including the contractor's cost and overheads.

Contractor

Project Director

MAINTENANCE AND DEFECTS

CLAUSE-43

Period of maintenance	(1) The period of maintenance mentioned in item (i) of the memorandum hereto annexed shall be calculated from the date of completion of the works certified by the Engineer-in-charge in accordance with clause 40 hereof or in the event of more than one certificate having been issued by the Engineer-in-charge under the said clause, from the respective dates so certified, and in relation to the period of maintenance the expression the “work” shall be construed accordingly.
Execution of work of repair etc.	(2) The works shall at or as soon as practicable after expiration of the period of maintenance be delivered to the Engineer-in-charge in as good and perfect condition (fair wear and tear excepted) to the satisfaction of the Engineer-in-charge as that in which they were at the commencement of the period of maintenance, the contractor shall execute all such works of repair, amendment, reconstruction, rectification and making good of defects, imperfection, shrinkage other faults as may be required of the contractor in writing by the Engineer-in-charge during the period of maintenance or within fourteen days after its expiration as a result of an inspection made by or on behalf of the Engineer-in-charge prior to its expiration.
Cost of execution of works of repair etc.	(3) All such works shall be carried out by the contractor at his own expense, if the necessity thereof shall, in the opinion of the Engineer-in-charge, be due to use of materials or workmanship not in accordance with the contract or to neglect or failure on the part of the contractor to comply with any obligation expressed or implied on the contractor's part under the contract. If in the opinion of the Engineer-in-charge such necessity shall be due to any other cause, the value of such work shall be ascertained and paid for, as if it were an additional work. If the contractor shall fail to do any such work as aforesaid, required by the
Remedy of Contractor's failure to carry out work required	(4) Engineer-in-charge, the Engineer-in-charge shall be entitled to carry out such work by his own workmen or by other contractor(s) and if such work is a work which the contract should have carried out at the contractor's own cost, shall be entitled to recover from the contractor towards the cost thereof a sum equal to the actual expenditure so incurred by the Engineer-in-charge (whose certificate as to the amount of the work shall be final and binding on the parties) and may deduct the same from any moneys due or that may become due to the contractor.

Clause 44: If the contractor or his work people, or servant shall break, deface, injure or destroy any part of a building in which they may be working or any building, road, roadwork, road structure, water supply, sewerage and drainage works, sanitary fitting and electric installation, fences, enclosures, water pipes, cables, drains, electric or telephone posts or any works, trees, grass or grass land, or

Contractor liable to make good damages and for any imperfection noticed during period of maintenance

Project Director

Contractor

cultivated ground contiguous to the premises on which the work, or any part of its is being executed, or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfections become apparent in it within the specified period of maintenance in item No. (i) of the memorandum hereto annexed after a certificate, final or otherwise of its completion shall have been given by the Engineer-in-charge as aforesaid, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made good by other workmen, and deduct the expenses (of which the certificate of the Engineer-in-charge shall be final) from any sums that may then, or at any time thereafter may become due to the contractor, or from his security deposit.

ADVANCES TO CONTRACTORS

CLAUSE-45

**Secured
advance
on materials
brought to site.**

Should the contractor, whose contract is for finished work require an advance on the security of material of imperishable nature brought by him to the site, the Engineer-in-charge shall assess the value of such materials and the contractor may be paid an advance upto an amount not exceeding seventy five per cent (the decision of the Engineer-in-charge as to this percentage shall be final) of the value of the materials assessed by the Engineer-in-charge. The materials shall remain the property of the University and the contractor shall not remove it from the site without the written permission of the Engineer-in-charge. The contractor shall be responsible for any loss to the materials due to the contractor postponing the execution of the work or to the shortage of or misuse of the materials and against the expenses entailed for their proper watch and safe custody.

The recovery of the amount of such advance shall be made from the contractor's bill for the work done, as the materials are used in the work. It is the sole discretion of the Engineer-in-charge to assess whether under the given circumstances secure advance shall be issued or not, and the decision taken shall be final and binding.

Contractor

Project Director

PAYMENTS

CLAUSE-46

Bills to be submitted on prescribed form

The contractor shall submit all bills on the form prescribed by the Engineer-in-charge to be had on application at the office of the Engineer-in-charge and the charges in the bills shall always be entered at the rates specified in the tender (bid schedule) or in the case of any extra work ordered in pursuance of the conditions and not mentioned or provided for the tender, at the rate hereinafter provided for such works.

CLAUSE-47

Bills to be submitted monthly

The contractor shall submit each month on or before the date fixed by the Engineer-in-charge a bill, on the basis of measurements carried out by the contractor through his own staff, for all works executed in the previous month,

and the Engineer-in-charge shall take or cause to be taken the requisite measurements for the purpose of having the same verified and the claim, as far as admissible adjusted, if possible, before the expiry of ten days from presentation of the bill subject to the condition laid down in item(s) of the memorandum of work. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer-in-charge may depute a subordinate to measure up the work in the presence of the contractor or otherwise and the Engineer-in-charge may prepare a bill from such measurements, which shall be binding on the contractor in all respects.

Clause 47-A: Payment of items with imbalance rates

If a contractor quotes such disproportionate rates in his tender which deviate from the rates provided in the technically sanctioned estimate, the payment of items whose rates are lower will be made at tendered rate(s) in full on the execution of items (s) but the payment of item whose rates are higher shall be made to the maximum of 4.5% above the rates depicted in technically sanctioned estimate (subject to approval of Engineer-in-charge), on the execution of such items,

the balance payment shall be withheld by the Engineer-in-charge till the completion of the work of items for which low rates have been quoted. The Engineer-in-charge may at his sole discretion can remove the allowable limit of 4.5% and pay the contractor as per the technically sanctioned rates for the higher item rates. The balance amount shall be paid at the completion of the project.

Contractor

Project Director

CLAUSE-48

Deduction of security deposit

At the time of making any payment to the contractor for the work done under this contract, the Engineer-in-charge shall retain from the amount so payable to the contractor, the amount of security deposit at the percentage rate specified in item (d) of the memorandum of work annexed hereto. The earnest money of the contractor on execution of the contract, will however, be adjusted towards the amount of such security deposit to be retained from the amount of his first bill of the work done by him and payable to the contractor under this contract.

All compensations of other sums of money payable by the contractor to the University under the terms of this contract may be deducted from the amount of his security deposit of the contract or from any sums which may be due or may become due to the contractor by the University on any account whatsoever, and in the event of his security deposit being reduced by such deductions, the contractor shall, within ten days thereafter, make good in cash any sum or sums which may have been deducted from his security deposit, or may be made good through additional deductions from his bill or dues.

CLAUSE-49

Conversion of security deposit into profit bearing Securities

If the contractor so desires and makes a written request to the Engineer-in-charge to the effect that the amount of security deposit retained from the bills of the contractor may be converted into the recognized form of profit bearing security at the cost of the contractor, the amount of, security deposit retained from bills of the contractor shall be deposited in any of the scheduled banks of Pakistan or with which the University is maintaining the accounts and pledged in the name of the University Engineer/ Project Director concerned.

CLAUSE-50

(a)

Refund of security deposit.

The amount retained as security deposits shall not be refunded to the contractor before the expiry of six (6) months in the case of original works valuing upto Rs.5 million and twelve (12) months or even more, as may be determined by the Engineer-in-charge with the prior approval of the Project Director, in the case of works valuing above Rs.5 million, after the issue of the certificate of completion of work under clause 40 hereof by the Engineer-in-charge provide that in case the contractor is required by the Engineer-in-charge to rectify any imperfection, damage, defects or other faults in work, etc. during the period of maintenance, the security deposit shall not be refunded till the contractor has fulfilled his obligations under clause 43 and 44 hereof to the satisfaction of the Engineer-in-charge.

Contractor

Project Director

- (b) Should the contractor so apply in writing to the Engineer-in-charge the amount of security deposit will be refunded to the contractor three (3) months after the issue of certificate of completion of work by the Engineer-in-charge under clause 40 subject to the production of bank guarantee from a schedule bank in Pakistan to the satisfaction of and in the form suitable to the Engineer-in-charge, for the same amount covering the balance of period of maintenance, to the effect that the contractor shall fulfill his obligations under clause 43 and 44 of the contract.
- (c) Subject to the conditions stipulated in sub-clause (a) of this clause, in the case of contracts for maintenance and repair works, the security deposits would be refunded to the contractor after the expiry of three (3) months of the issue of certificate of completion of work by the Engineer-in-charge.

CLAUSE-51 The contractor shall on submitting the bill be entitled to receive a monthly payment proportionate to the part thereof then approved and passed by the Engineer-in-charge, subject to the condition laid down in items(s) of the

Payment on intermediate certificate to be regarded as advances memorandum, whose certificate of such approval and passing of the sum so payable, shall be final and conclusive against the contractor. But all such intermediate payment shall be regarded as payment by way of advance against the final payment only, and not as payment for work actually done and completed and shall not preclude the requiring of bad, unsound, imperfect or unskillful work to be removed and taken away and reconstructed, or re-erected or be considered as an admission of the due performance of the contract, or any part thereof in any respect, or the accruing of any claim: nor shall it conclude, determine, or affect in any way the power of Engineer-in-charge, under these conditions or any of them as to the final settlement and adjustment of the account or otherwise, or in any other way vary or affect the contract.

CLAUSE-52 The final bill shall be submitted by the contractor within one month of the date fixed for completion of the works, otherwise the Engineer-in-charge's certificate of the measurement and of the total amounts payable for the works accordingly, shall be final and binding on all parties.

CLAUSE-53 The department may refuse or suspend payment on account of a work when executed by a firm, or by a contract described in their tender as a firm, unless receipts are signed by all the parties, or one of the partners or some other person producing power of attorney enabling him to give actual receipts on behalf of the firm.

CLAUSE-54 All sums payable by way of compensation under any of these conditions, shall be considered as reasonable compensation to be applied to the use of University, without reference to the actual loss or damage sustained, and whether or not any damage shall have been sustained.

Sums payable by way of compensation to be considered as reasonable compensation without reference to actual loss.

Project Director

Contractor

VARIATION IN PRICES OF SPECIFIED MATERIALS

CLAUSE-55 Not Applicable

CLAIMS OF CONTRACTOR

CLAUSE-56

Bills to be submitted monthly

The contractor shall deliver in the office of the Engineer-in-charge on a monthly basis or as specified by the Engineer-in-charge under the conditions of the project funding, during the continuance of the work covered by this contract a return in such form as the Engineer-in-charge may from time to time prescribe showing details of any rate, amount and work claimed as extra, and such return shall also contain the value of such work which the contractor may consider himself to be entitled upto the end of the previous month, which value shall be based upon the rates and prices mentioned in the contract (bid schedule) or the rate determined pursuant to clause 41 hereof. The contractor shall include in such monthly returns particulars of all claims of whatsoever kind and howsoever arising, which at the date thereof he has or may claim to have, against the Engineer-in-charge under or in respect of, or in any manner arising out of the execution of the works, and the contractor shall be deemed to have waived all claims not included in such return and will have no right to enforce any claim not so included, whatsoever be the circumstances.

CLAUSE-57

Claims for payment of extra ordinary nature

No claim for payment of extra ordinary nature, such as claim of a bonus for extra labour employed in completion of the work before the expiry of the contractual period at the request of the Engineer-in-charge or claim for compensation where the work has been temporarily brought to a stand still through no fault of the contractor, shall be allowed, unless and to the extent that the same shall have been expressly sanctioned by the Punjab Government.

CLAUSE-58

Time limit for unforeseen Claims

Under no circumstances whatsoever shall the contractor be entitled to any compensation on account of the contract unless the contractor shall have submitted claim in writing to the Engineer-in-charge within one month of the cause of such claim occurring.

CLAUSE-59

Claim for compensation for delay in the execution of work.

No compensation shall be allowed for any delay in execution of the work on account of water standing in borrow pits or compartment. The rates inclusive for hard or rocky soil excavation, sub soil water or water standing in borrow pits, and no claim for extra rate shall be entertained, unless expressly verified by Engineer-in-charge and confirmed by Project Director.

CLAUSE-60

REMEDIES AND POWERS

Action where whole of security deposit is forfeited

In any case in which under any clause or clauses of the contract, the contractor shall have rendered himself liable to pay compensation amounting to whole of the security deposit or in the opinion of the Engineer-in-charge has abandoned the contract, or is not executing the works in accordance with the contract or is presently or flagrantly neglecting to carry out his obligations under the contract,

Contractor

Project Director

or if the contractor employs any employee of the University in defiance to the provisions of clause 32 thereof, the Engineer-in-charge on behalf of the University, may, after giving fourteen days notice in writing to the contractor, rescind the contract (of which rescission notice in writing to the contractor under the hand of the Engineer-in-charge shall be conclusive evidence and in which case the security deposit of the contractor, shall stand forfeited, and be absolutely at the disposal of University. And in case the contract shall be rescinded under the provisions aforesaid):-

- i. The contractor shall have no claim to compensation for any loss sustained by him by reasons of his having purchased or procured any materials, or entered into any engagement, or made any advances on account of or with a view to the execution of the works or the performance of the contract.
- ii. The contractor shall not be entitled to recover, or be paid any sum for any work actually performed under this contract, unless and until the Engineer-in-charge will have certified in writing. The performance of such work and the value payable in respect thereof, and he shall only be entitled to be paid the value so certified, after deducting there from the amount of aforesaid compensation and other charges duly ascertained and certified by the Engineer-in-charge to be payable by the contractor. But if such some payable by the contractor for any losses, compensation or any other charge shall exceed the sum for any work actually performed under the contract and certified by the Engineer-in-charge, the amount of such excess shall be deemed a debt due by the contractor to the University and shall be recovered accordingly.

CLAUSE-61

Work at the risk and expense of the contractor

In every case in which the contract should be rescinded under clause 60 hereof and in the opinion of the Engineer-in-charge such work should be done at the risk and expense of the contractor without thereby avoiding the contract or relieving the contractor from any of his obligation or liabilities under the contract or affecting the rights and powers conferred on the University or the Engineer-in-charge by the contract, the Engineer-in-charge on behalf of the University, after giving fourteen days notice in writing to the contractor, shall have powers to adopt any of the following courses, as may in the opinion of the Engineer-in-charge be desirable: -

- a) to measure up the work of the contractor and to take such part thereof, as shall be executed out of his hands and to give it to another contractor to complete, in which case any, expenses which may be incurred in excess of the sum which would have been paid to the original contractor, had the whole of the work been executed by him (of the amount of which excess, the certificate in writing of the Engineer-in-charge shall be final and conclusive) shall be borne and paid by the original contractor, and may be deducted from any money due to him by the University, under the contract or otherwise, or from his security deposit or from the value of the performance security given by the contractor under clause 7 hereof.

Contractor

Project Director

b) to employ labour paid by the department and to supply materials or supply/arrange tools and plants to carry out the works or any part of the works, debiting the contractor with the cost of the labour and the price of the materials and cost of supply/arrangement, operation and maintenance of tools and plants of the amount of which cost and price, a certificate of the Engineer-in-charge shall be final and conclusive against the contractor, plus departmental charges on the amount so incurred equal to ten percent or such smaller amount as the Engineer-in-charge (whose decision in writing shall be final) may be decide, and crediting him with the value of the work done, in all respects, in the same manner and at the same time and rates, as if it had been carried out by the contractor under the terms of his contract, the certificate of the Engineer-in- charge as to the value of the work done shall be final and conclusive against the contractor.

In the event of any of the above courses mentioned in this clause being adopted by the Engineer-in-charge, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials, or entered into any engagement, or made any advances on account of, be with a view to, the execution of the works or performance of the contract.

CLAUSE-62

**Contractor
remains liable
to pay
compensation
if action is not
taken under
clauses**

In any case in which any of the powers, conferred upon the Engineer-in-charge by clause 60 or by para (a) of clause 61 hereof, shall have become exercisable and the same shall not be exercised, the non-exercise thereof shall not constitute a waiver of any of the conditions hereof, and such powers shall notwithstanding be exercisable in the event of any future case of default by the contractor for which, by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected .

**Powers to take
possession or
require
removal of
or sell
contractor's
plant, etc.**

In the event of the Engineer-in -charge putting in force either of the power vested in him under clause 60 or para (a) of the preceding clause, he may, if he so desires, take possession of all or any tools, constructional plants, materials and stores, in or upon the works, or the site thereof, or belonging to the contractor, or procured by him and intended to be sued for the execution of the work or any part thereof, paying or allowing for the same in account at the contract rates, or,

Contractor

Project Director

in case of those not being applicable at current markets rates to be certified by the Engineer-in-charge whose certificate shall be final otherwise the Engineer- in-charge, may serve notice in writing to the contractor or his clerk of the works, foreman or other authorized agent, require him to remove such tools, construction plants, materials, or stores from the premises (within a time to be specified in such notice) and in the event of the contractor failing to comply with any such requisition, the Engineer-in-charge may remove them at the contractor's expense or sell them by auction or private sale on account of the contractor and at his risk in all respects and the certificate of Engineer-in- charge as to the expenses of any such removal, and the amount of the proceeds and expenses of any such sale, shall be final and conclusive against the contractor.

CLAUSE-63

Contract may be rescinded and security deposit for subletting bribing, or if Contractor becomes insolvent.

If the contractor shall, in defiance of the Engineer-in-charge's instructions to the contrary or without his written approval, assign or sublet his contract or attempts to do so; or become insolvent, or commence any insolvency proceedings or make any composition with his creditors, or attempts so to do; or if any bribe, gratuity, gift, loan prerequisite, reward or advantage, pecuniary or otherwise, shall either directly or indirectly be given, promised or offered by the contractor, or his servants or agents to any way relating to his office, or employment; or if any such officer or person shall become in any way directly or indirectly interested in the contract; the Engineer-in-charge may thereupon by notice in writing rescind the contract, and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of University and the same consequence shall ensue as if the contract had been rescinded under clause 60 hereof and in addition to the contractor shall not be entitled to receive or be paid for any work therefore actually performed under the contract.

Contractor

Project Director

CLAUSE-64

Deduction of amount due to University on any account whatsoever to be permissible from any sums payable to the contractor

Any excess payment made to the contractor inadvertently or otherwise, under this contract or on any account whatsoever, and any other sum found to be due to the University by the contractor in respect of this contract, or any other contract or work order, or on any account whatsoever, may be deducted from any sum whatsoever payable by University to the contractor, either in respect of this contract or any work order or contract, or on any other account by any other department of the University; or recovered from the contract or as arrears of land revenue.

SETTLEMENT OF DISPUTES

CLAUSE-65

Procedures in case of disagreement.

In the event of any disagreement between the Engineer-in-charge and the contractor arising out of the contract, the matter shall first be referred to the Project Director for decision who shall, after making such inquiries, as he may deem fit, give his decision in writing not later than three months after the reference is made to him. The period for decision of the case by the Project Director may, however, be extended by the Vice-Chancellor under special conditions according to the circumstances, justification, available in each case. The contractor shall forthwith give effect to the decision of the Project Director and shall proceed with due diligence, whether arbitration is intended or not.

Contractor dissatisfied with the decision of Project Director.

If the contractor be dis-satisfied with the decision of the Project Director or if his decision is not forthcoming within the stipulated or extended period/periods and desires arbitration under the arbitration clause as hereinafter provided, he shall give notice in writing of such intention to the Project Director within a period of twenty eight days of the receipt of the Project Director decision or in case no decision is given, at the end of the period or periods within which the Project Director was to give his decision. The said notice shall contain the cause of action, material facts of the case and relief sought, failing which the decision of the Project Director shall become final, conclusive and binding, and the contractor shall be deemed to have forfeited or departed from the claim in excess of that allowed by Project Director. The subsequent inflation/increase in the amount of claim once referred in the said notice shall not be allowed nor shall any other claim in respect of the same work be entertained from the contractor at any later stage.

Reference to arbitration

A reference to arbitration shall be made by the contractor in writing not later than three months after the completion of the work. Failure to make such a reference within this period shall be deemed to mean that the contractor has waived all claims in respect of all disputes.

Disputes which may be referred to arbitration shall be limited to: -

(a)
Disputes for arbitration limited

- i. Any question, difference, or objection, whatsoever which shall arise in any way, connected with or arising out of the contract or/ and

- ii. The meanings of the operation of any part of the contract; or/and
- iii. The rights, duties and liabilities of either party to the contract; or/and
- iv. Whether the contract should be terminated or has been rightly terminated and as regards the rights and obligations of the parties as a result of such termination.

Provided that those matters for which provision has been made in the contract for final and binding, decision by the Project Director or the Engineer-in- charge shall be excluded from arbitration.

- b) The venue of arbitration shall be in Lahore. The contractor will have to deposit 20% of the amount of claim upto Rs.0.20 million and 10% of claims, exceeding Rs.0.20 million alongwith the claim. This amount will be refunded after the Award has been made Rule of the Court. Otherwise, the amount deposited will be forfeited.

- c) In the event of any dispute arising in accordance with the limitations provided in sub-clause (a) of this clause, the same shall be referred for decisions to sole

Arbitration of arbitrator to be appointed by the Vice-Chancellor, from among the officers

the department not below the rank of Project Director, and other than the Project Director in-charge of the work. In case the claim referred is for an amount upto half a million rupees, the decision of the sole arbitrator in such cases shall be final and binding on the parties concerned.

- d) In case the amount of the claim referred is over half a million rupees, the dispute shall be referred to the award of two arbitrators, to be appointed from the Project Directors of the department or any other suitable officer, other than the Project Director in-charge of the work, one to be nominated by the Vice-Chancellor of the University and the other by the contractor. In the case of the said two arbitrators not agreeing, the case shall be referred to the award of an umpire who shall be a professor of the University not below the rank of full professor to be appointed by the Vice-Chancellor. The decision of the two arbitrators/ umpire, as the case may be shall be final and binding on the parties concerned. Where the matter involves claim for the payment of recovery or deduction of money only, the amount, if any, awarded in the arbitration shall be recoverable in respects of the matter so referred.

FACILITIES

Clause 66

Facilities to be provided by the contractor at site
Contractor's Camps

The Contractor may arrange facilities in the nearby area of the Project or may request the Employer to provide land for providing temporary arrangements.

Contractor

Project Director

Medical Facilities

The Contractor shall arrange provision of adequate medical facilities for his employees. Suitably equipped first aid stations manned by trained staff shall be provided at strategic locations, to administer first aid treatment at all times free of charge to all persons on the Site, including personnel of the Engineer and the Employer.

Water Supply

The Contractor shall arrange for the water supply for his staff, labour camps, site offices, work yards, workshops, and various camp facilities.

Handing Over/Removal
completion of the Works,

The Contractor shall remove all installations and buildings constructed and all facilities provided by the Contractor under this Clause, and the Site cleared and reinstated to the satisfaction of the Engineer.

Clause 67

Provision of Facilities
for the Engineer Staff /Employer

The Contractor shall provide and maintain Camp Offices for the Engineer's / Employer's Staff at three divisions if so required or as directed by the Project Director to carry out the operations, inspections, billing, measurements and official coordination with the employer staff. The Offices shall have required furniture, electronics equipment (Including fridge and microwave oven), electricity & internet connections along with other allied facilities to manage the office.

The contractor shall arrange for visits as and when required by the Project Team. The transportation for the material testing, and all other related matters will also be provided by the contractor.

The Contractor shall also be responsible for the complete security of the site offices and their contents at all times. Necessary insurances shall be maintained.

Clause 68

Working Methodology

The Contractor shall be obligated to initiate execution of the IT Deployment simultaneously at different locations, in accordance with the directions of the Project Director.

Measurement and Payment

No separate payment will be made for the work specified in Clause 66 & 67

Contractor

Project Director

Information Technology University Lahore, Punjab.

CONTRACT AGREEMENT

(SEE CLAUSE 6)

This agreement made this _____ day of month _____, year _____ between **Information Technology University Lahore, Punjab** as represented by the Project Director/ The Engineer In charge on the one part and _____ (hereafter called the "Contractor" on the other part.

WHEREAS tenders have been received for the work

at Information Technology University Lahore, Punjab. As well as possible new and ancillary works associated therewith which have to be executed in accordance with the contract document, and the tender by the contractor for the construction, completion and maintenance of such works has been accepted by the University.

NOW, THEREFORE, for and in consideration of the promises, covenants and agreement hereinafter contained and to be performed by the parties hereto, the said parties hereby covenant and agree as follows: -

- i. In consideration of the covenants and agreements to be kept and performed by the contractor and for the faithful performance of the contract and the completion and maintenance of works embraced therein, according to the specifications, drawings and conditions herein contained and referred to the University shall pay and the contractor shall receive and accept as full compensation for everything furnished and done by the contractor under this agreement and the tender price stipulated in the contractor's tender at the times and in the manner prescribed the contract.
- ii. The said work shall be started within the period specified in item No.(f) of the memorandum of work, following the, receipt of written order of the Project Director / Deputy Director Purchase to proceed with and the contractor shall complete fully the works within the stipulated period reckoned from the commencement of work, subject to such extensions of time (s) as may be granted under the conditions of contract except for maintenance which shall be completed within the period named in item (g) of the memorandum hereto annexed after issuance of the final certificate of completion.
- iii. The following documents shall be deemed to form and be read and construed as part of this agreement: -
 - a) The said tender and covering letter and subsequent undertaking, if any,
 - b) The drawings,
 - c) The conditions of contract and additional conditions, if any,
 - d) The specification;
 - e) The bid schedule;
 - f) Addendum No.1 to

(Which have been incorporated in the tender)

- g) Schedule of materials to be supplied from the departmental store;
- h) The scale of rates and prices;
- i) The letter of acceptance; and
- j) The performance security.

iv. All disputes of differences between the parties in connection with or arising out of this agreement shall be settled in accordance with the provisions of relevant clause of the conditions of contract.

IN WITNESS WHEREOF, the parties have hereunto set their respective hands and seals the day and the year hereinbefore set forth.

Signed by
(Contractor)

Signed by
(Registrar / Project Director)
For and on behalf of the UNIVERSITY

WITNESS

1.

2.

3.

Contractor

Project Director

BANK GUARANTEE

(See Clause 7)

Penal sum of bond

(express in words and figures)

KNOW ALL MEN BY THESE PRESENTS THAT MR./MESSERS

(Name of Contractor)

Whose official address is

As principal (s) (herein after referred to as principal) and

or scheduled bank (s) of Pakistan (hereinafter appearing in the schedule of sureties, as sureties (hereinafter some time called the surety at the request of the principal are held and firmly bound to the **INFORMATION TECHNOLOGY UNIVERSITY LAHORE, PUNJAB** acting through the Engineer In charge his successor or assignees) a body organized and existing under and by virtue of laws of the University in the penal sum of the amount stated above, lawful money for the payment of which sum well and truly made we bind ourselves our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

PROVIDED THAT We, the sureties, bound ourselves in such sum jointly and severally, as well as, severally only for the purpose of allowing a joint action against any or all of us and for all other purposes, each surety bond itself, jointly and severally with the principal for the payments of such sum only as set forth opposite its name in the following schedule: -

SCHEDULE OF SURETIES

Name of bank, branch and address

limit of liability

The conditions of the above obligation is such that:

WHEREAS, the tender of the above bounden principal has been accepted and he has entered into a contract with the University Engineer Division for the work (Name of work) on the day of 20 **AND WHEREAS**, under the terms of the contract University has required the principal to furnish a performance guarantee to form a part of the contract.

NOW THEREFORE, it is agreed as follows:-

- 1) If the above bounden principal shall well truly and faithfully perform the contract and comply with and fulfill all the undertakings, terms and provisions thereof, and satisfy all the obligations of the said principal arising there under, and comply with all covenants therein contained and contained in the specifications, plan and other instruments constituting a part of the contract, required to be performed by the said principal, in the manner and within the time provided in the contract or any extension thereof that may be granted by the University with or without notice to the surety (s) and shall fully indemnify and the University, for all costs and damages which the University may suffer by reason of failure so to do, and shall fully reimburse and repay the said University Engineer

Contractor**Project Director**

Campus _____ all out lay and expenses which may incur in making good any such default and reasonable counsel fee incurred in the prosecution or defense of any action arising out of or in connection with any such default, and shall pay all persons who have contracts directly with the principal for labour and materials, if any, in connection with the work performed under the contract or otherwise been rescinded by the University under the provisions of clause 60 of general conditions of contract, then this obligation shall be null and void and of no effect, otherwise in full force and effect and virtue.

- 2) The said surety, for value received, hereby stipulate and agree that no change in or in respect of any matter or thing concerning the said contract on the part of the University or the Engineer-in-charge, extension in time, alteration in or addition to the terms of the contract between the University and the contractor to the extent and nature of the work be construed, completed and maintained there under, or the specifications accompanying the same shall in any way affect its obligations to this guarantee and it does hereby waive notice of any change, extension in time, alteration or addition to the terms of the contract, or to the specification.
- 3) The liability of the surety is irrevocable and shall in no case exceed the aggregate amount stated on the top of this guarantee which each surety binds itself and promise to pay the whole or any part of this amount on demand to the University Engineer _____
Campus _____ without question and without reference to the principal. Provided that the notice of demand shall be given by the aforesaid University Engineer, in writing to the surety.

IN WITNESS WHEREOF, the above named principal and the surety have executed this instrument under its seal on this _____ day of 20 _____ the name and corporate seal of the surety being hereto affixed and these presents duly signed by its undersigned representatives pursuant to the authority of its governing body.

Principal (Contractor)
Address: _____

Sureties: **1.** Any scheduled bank of Pakistan

Seal

Signed, sealed and delivered by the said principal and sureties in the presence of:

Witnesses:

1. _____
Name: _____
Address: _____

2. _____
Name: _____
Address: _____

Contractor

Project Director

To

The Project Director

Subject: - **RELEASE OF SECURITY FOR** _____

It is submitted that the work being _____
Executed under Agreement No. _____ has been completed
Satisfactorily and in accordance with the provisions of contract and technically
sanction estimate. The final measurements of the work has been recorded in the
measurement book No. _____ Page No. _____ to _____

(Project Director)

No & Date even.

Copy if forwarded for information to the: -

- i. Project Director.
- ii. Assistant Engineer, Office of Engineering Works, ITU Lahore, with the direction to submit the final bill of the contractor on the basis of measurement as detailed in the body of the letter.
- iii. Admin Department (ITU) to the maintenance Period.

The release of security will be governed from the date of issue of this letter.

(Project Director)

Information Technology University

Contractor

Project Director

Government of the Punjab
Finance Department
Dated Lahore, the 7th December, 2007

NOTIFICATION

No.RO(Tech) FD 18 -44/2006. in exercise of the powers conferred upon him under Article 119 of the Constitution of the Islamic Republic of Pakistan, 1973, the Governor of the Punjab is pleased to direct that in the Punjab Departmental Financial Rules (Financial Hand Book No. 3), the following further amendments shall be made:

AMENDMENTS

In the said rules: -

a) In rules 7.36 for sub-rule (b), the following shall be substituted: -

“Where tendered amount as mentioned in the letter of acceptance exceeds rupees ten million, the competent authority may, on the request of the contractor, sanction a mobilization advance upto fifteen percent of the said tendered amount in the manner and subject to the following conditions; -

- i. initially, a sum equal to ten percent of the tendered amount and thereafter a further sum equal to five percent of the tendered amount may be sanctioned on the furnishing of a certificate by the Engineer-in-charge of the work to the effect that mobilization by the contractor is complete in all respect necessary for the due commencement of work;
- ii. the contractor shall furnish a guarantee in the shape of Form DFR (P.W) 28-A in favour of the University from any bank declared to be a Scheduled Bank by the State Bank of Pakistan;
- iii. the authority accepting the tender shall verify the bank guarantee;
- iv. no interest shall be charged on a mobilization advance;
- v. the recovery of mobilization advance shall commence after lapse of 20% contract period or after the execution of the 20% of the work (financial terms) whichever is earlier. The rate of recovery shall be 25% of the value of work done in each interim pay certificate (running bill); and
- vi. in case of contractor fails to execute the work in accordance with the terms of the contract, the security offered in respect of the mobilization advance shall be forfeited to the creditor of the Government”; and

b) for the form “D.F.R (P.W) 28-A”, the following shall be substituted: -

Contractor

Project Director

**FORM D.F.R. (PW) 28-A
(REFERRED TO IN RULE 7.36)
FORM OF GUARANTEE**

WHEREAS a contract for work has been awarded by the Information Technology University Lahore, Punjab acting through the _____ Information

Technology University Lahore, Punjab _____ Department (hereinafter called the University) to M/s _____ (hereinafter called the contractor.)

AND WHEREAS under the terms of the said contact the University has agreed to advance a sum of Rs. _____ to the contractor for execution of the said work. The said amount shall be recovered after lapse of 20% contract period or after the execution of the 20% of the work (financial terms), whichever is earlier. The rate of recovery shall be 25% of the value of work done in each interim pay certificate (running bill):

AND WHEREAS the University has required the contractor to furnish a bank guarantee from any scheduled bank for securing the payment of the sum advanced thereon: -

It is agreed as follows:-

- (1) I, _____ acting on behalf of _____ (hereinafter called the guarantor) hold and firmly bind to the University in the sum of Rs. (Rupees) _____ payable on the same sum given as mobilization advance to the contractor.
- (2) The guarantor hereby undertakes to pay the said amount payable to the University on demand in case the contractor makes a default in the payment of said amount under the terms & conditions of the contract.
- (3) The guarantee shall be irrevocable and shall remain in force till the sum advanced payable thereon has been repaid in fully by the contractor.
- (4) The liability of the guarantor shall in no case exceed the aggregate amount of Rs. _____ (Rupees) _____ payable thereon for the payment of which the guarantor hereby undertakes to bind itself and promises to pay the whole or any portion of this amount to the University without making a reference to the contractor.

IN WITNESS whereof we the said guarantor have set out hands to this deed of guarantee this _____ day of _____ 20

**GUARANTOR
(SCHEDULED BANK)**

Contractor

Project Director

FORMS & OTHER REQUIRED DOCUMENTS

TECHNICAL PROPOSAL SUBMISSION FORM

[Location, Date]

To (Name and address of Client / Purchaser)

Dear Sir,

We, the undersigned, offer to provide the_(insert title of assignment)_ in accordance with your Request for Proposal/Tender Document No._____dated _(insert date)_ and our Proposal. We are hereby submitting our Proposal, which includes the Technical Proposal and the Financial Proposal sealed in two separate envelopes.

We undertake, if our Proposal is accepted, to provide supply of _____related to the assignment.

Our Proposal shall be binding upon us up to expiration of the validity period of the Proposal, i.e. before the date indicated in _____of the Proposal Data Sheet.

We also confirm that the Government of Pakistan / Punjab has not declared us, or any, ineligible on charges of engaging in corrupt, fraudulent, collusive or coercive practices. We furthermore, pledge not to indulge in such practices in competing for or in executing the Contract, and we are aware of the relevant provisions of the Proposal Document.

We understand you are not bound to accept any Proposal you receive.

We remain,

Yours sincerely,

Authorized Signature (Original)

(In full and initials)

Detailed Evaluation (Supplying & Installation of IT Allied Works & Command & Control Center)

A- Mandatory / Knock Down Criteria <p style="color: red;">Responsiveness of bidder by preliminary examination as given above in Knock down criteria (BDS clause 13) will be performed. In case of any discrepancy regarding knockdown criteria, the bidder will be declared as non-responsive and bidder's qualification evaluation as per marking criteria given here under will not be carried out.</p>			
B- Marking Criteria			
Sec.#	Description	Max Marks	Marks Allocation
1	Company Profile, Experience etc.	(50)	
i.	Experience in years / Market Existence Registration (NTN Certificate must be attached)	10	Full marks will be awarded for experience of more than 10 years 07 Marks for experience of less than 10 but more than 7 years 04 Marks for experience of less than 7 but more than 04 years Zero marks for experience of less than 04 years
ii.	Value of Completed Projects in Public Sectors / Autonomous Bodies / Well reputed Organizations Cost of Supplying & Installations of IT Allied Works, Command & Control Center having IT/Electrical Component in buildings will be considered (Purchase orders OR supply orders OR completion certificates must be attached, otherwise, no marks shall be awarded.)	40	70+ to 89 Million 5 Marks 90+ to 109 Million 9 Marks 110+ to 129 Million 13 Marks 130+ to 149 Million 17 Marks Above 150 Million 20 Marks (Maximum of 20 Marks can be obtained for one project and a maximum of two projects will be considered having the highest value)
2	Financial Position	(35)	
i.	Average Turnover (Last 03 years) (Signed and stamped statement along with audit report for last 03 years (2023, 2024 & 2025) must be attached, otherwise, no marks shall be awarded.) Financial Year will be considered as one year.	26	250+ to 275 Million 6 Marks 276+ to 300 Million 11 Marks 301+ to 325 Million 16 Marks 326+ to 350 Million 21 Marks Above 351 Million 26 Marks

ii.	Available Bank Credit Line Limit or Balance or Current/ Fixed assets (For Lead Partner only) *A= (in Millions) Available Bank Credit Line Limit or Account Balance or current/fixed assets (of all accounts). (Letters from banks shall be provided.	09	50 to 74 Million 75 + to 99 Million 100 + to 125 Million Above 126 Million	4 Marks 6 Marks 8 Marks 9 Marks
3.	HR, Infrastructure & Presentation/methodology	(20)		
i	HR/ Staff Strength (Payroll of November 2025) Technical Staff (Diploma / Degree holder) List of Staff along with qualification must be attached and related final degree/diploma/ transcripts.	14	<ul style="list-style-type: none"> • Team Leader/ Manager/Engineer with bachelor's Degree & 05 Years relevant Experience (4 Marks) • 4 Numbers of Supervisor 3Years Diploma in IT, Computer Science & Software related diploma or equivalent qualification with 5 years of relevant Experience (2 Marks for each supervisor) • Electrician (2 Marks) <p>Note: Bidders are required to provide details on affidavit & attach CV, Payroll/Contract of employees as required.</p>	
iii	Presentation/ Methodology	06	<p>Bidders are required to prepare presentation covering the following contents.</p> <p>Introduction Site Surveys Network & Layout Design Supply Chain & Logistics Management Installation Methodology in Colleges Command & Control Center Infrastructure Setup. (Presentation must be attached with technical bid in printed form)</p> <p>Bidders may be invited for physical presentations as well</p>	
TOTAL MARKS		(100)		
<p>Note 1: Supporting documents (where demanded) must be attached otherwise no marks would be awarded. The successful bidder will have to give the demonstration of quoted items at Information Technology University of Punjab, Lahore if required by Evaluation committee.</p> <p>Minimum 65% marks are mandatory overall & 50% marks in each head.</p> <p>Note 2: In case of securing less than 65% marks or less than 50% marks in each head, bidder will be declared as disqualified and goods' qualification will not be carried out.</p> <p>Note 3: Bidder who qualifies in goods qualification/ evaluation will be invited for financial bid opening.</p> <p>Note 4: Bidders are required to quote their own rates considering that this work will be executed in colleges which are located in different divisions, Districts & Tehsils across the Punjab Province and transportation / carriage / logistics / labor charges will not be paid separately what so ever.</p> <p>Note 5: Combined lowest financial bid of both packages shall be declared as successful.</p>				

Financial Proposal Submission Form (Part of Financial Bid Envelope)

[Location, Date]

To _ (Project Director)

Dear Sir,

We, the undersigned, offer to provide the _(Insert title of assignment)_ in accordance with your Request for Proposal No._____ dated _(insert date)_ and our Technical Proposal. Our attached Financial Proposal is for the sum of _(insert amount in words and figures)_. This amount is inclusive of all taxes.

Our Financial Proposal shall be binding upon us up to expiration of the validity period of the Proposal, i.e. before the date indicated in _____ of the Proposal Data Sheet.

We also declare that the Government of Pakistan / Punjab has not declared us or any Sub-Contractors for any part of the Contract, ineligible on charges of engaging in corrupt, fraudulent, collusive, or coercive practices. We furthermore, pledge not to indulge in such practices in competing for or in executing the Contract, and are aware of the relevant provisions of the Proposal Document.

We also undertake that we wi if our bid is declared the lowest and the contract is awarded to our firm, we will execute the work in all assigned colleges across Punjab, as directed by the Project Director

We understand you are not bound to accept any Proposal you receive.

Signed

In the capacity of:

Duly authorized to sign the proposal on behalf of the Applicant.

Date:

Price Schedule/ Financial Cost Sheet
Summary of Cost

Sr No	Description of Work	Cost (Rs.)
1	Package No 1	
2	Package No 2	
3	Total Cost I/c Applicable Taxes (Rs.)	

Combined lowest evaluated financial bid will be declared successful

Establishment of IT Labs in Colleges

IT Allied Works (Package 1)

Estimate is Based on 2nd Bi Annual 2025, District Lahore

Sr. No.	Description of Work	Units	Quantity	Unit Price	Total Cost
1	Supply, Installation and Connection of Specified Ports Layer-2PoE (Power Over Ethernet) data Network Switch specified ports x 100/1000 Mbps PoE, Min.2x1Gbps SFP UPLINK ports, made of Cisco USA/NOVAS Europe/Juniper USA / Huawei / H3C, Pollo Australia or equivalent approved manufacturer and directed by the Engineer In charge/ Project Director. (48 Port)	Each	86		
2	Supply, Installation and Connection of Specified Ports Layer-2PoE (Power Over Ethernet) data Network Switch specified ports x 100 Mbps PoE, Min.2x1Gbps SFP UPLINK ports, made of Cisco USA/NOVAS Europe/Juniper USA / Huawei / H3C, Polo Australia or equivalent approved manufacturer and directed by the Engineer In charge. Network Switch (24 Port)	Each	118		
3	Supply, Installation of Wi-Fi access points (APs), conforming IEEE as approved and directed by the Engineer In charge. i) Support up to 50 concurrent connections	Each	166		
4	Supply, installation of wall mounted CCTV Cabinet comprising of Powder Coated M.S frame, front glass & two side openings, 02 way fans for cooling, top& bottom entry, handle lock with 6way PDU Power	Each	170		

	distribution Unit) with all necessary accessories /materials, complete in all respects. Made of Bosch/HP/Dell , Pollo Australia or equivalent or as Approved and directed by Engineer In charge 12 U double section.				
5	Supplying & Installation of Cat 6 Ethernet Cable Roll – Molex	Each	360		
6	Supply, Installation and commissioning of 19" Rack Mounted of specified, UTP Patch Panel with specified tool less support & Rear Cable Management, UL listed, Loaded with UTP of specified Key stone Jack Tool less Support ,Made of Schneider /Norden/3MCorning/D-Link, Pollo Australia or equivalent approved manufacturer and Directed by Engineer In charge/ Project Director.				
a	Patch Panel (24 Port)	Each	118		
b	Patch Panel (48 Port)	Each	86		
8	Supplying & Installation of Cable Manager	Each	170		
9	Supply, Installation and commissioning of Simple type, Dual Shutter Face Plates having fully populated I/O: Option 1:RJ-11 with RJ45/8P8C I/Os supporting either Cat6 or Cat6a cables as required by project Option 2: Two RJ45/8P8C I/Os supporting either Cat6 or Cat6a cables as required by project.	Each	125		
10	Supply, installation and connections of CAT-6 AUT P (Un sheilded Twisted Pair), patch cord of specified length, Factory Fabricated and UL Listed with anti-Snag Boots- Gold over nickel plated made of Schneider ,Pollo Australia or equivalent approved manufacturer and directed by Engineer In charge				
a	Patch Cord 1 Meter	Each	5784		
11	Double Light Plug 10/13 Amp with back box	Each	5000		
12	Supply and erection of single core PVC insulated copper conductor cables, in pre laid PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing an capping/G.I. wire/trenches (rate for cables only): iii) 7/0.74 mm (7/0.029")	Roll	800		

	Supply& Installation of NVR (Network Video Recorder) for Real Time View of specified Channels, video and Audio channels, Supported protocols: ONVIF, RTSP etc, Internal HDD mounts support: 2/4/8 or higher as per site requirement, Monitor outputs, (HDMI, 4K Ultra HD), VGA (Video array), Support Raid 5/6, Embedded OS, Data Encryption, Min. 1x RJ-45 1000 Mbps Ports, with PC Video Monitoring Software, Web Server, and Embedded Server complete in all respect. Made of AXIS Europe/NOVAS Europe/Avigilon by Motorola USA/Huawei, Polo Australia or equivalent approved manufacturer and directed by the Engineer In charge.	Each	166	
14	Supplying, Installation & Commissioning of IP Cameras 4 Mega Pixel day & night vision IR Complete in all respect.	Each	350	
15	Supply, Installation and Connection of Surveillance Grade Hard Drives (HDD) of Specified Capacity for CCTV System Backup. Made of Seagate /WD, Polo Australia or equivalent approved manufacturer and directed by Engineer Incharge. 4TB	Each	166	
16	Supply, Installation and Connection of Specified Ports Layer-2 PoE (Power Over Ethernet) data Network (8 Ports) Switch specified ports x 100 Mbps PoE, Min. 2x1 Gbps SFP UPLINK ports, made of Cisco USA/NOVAS Europe/Juniper USA / Huawei / H3C, Polo Australia or equivalent Approved manufacturer and directed by the Engineer Incharge. 8 port, Min. 120 Watt PoE power	Each	166	
17	Supplying & Installation of Surveillance Screen 27" HP, Samsung, Dell or equivalent as approved by engineer incharge.	Each	166	
18	Supplying & Installation of Fire Extinguishers dcp dry chemical powder complete in all respect	Each	166	
19	Supplying & Installation of Fire Extinguishers co2 carbon dioxide type 3 kg complete in all respect	Each	166	
20	Providing & Fixing of flexible pipe 1" dia complete in all respect.	Rft	20000	
21	Providing & Fixing of Rj 45 single I/o with face plate complete in all respect.	Each	600	
22	Supply and erection of PVC pipe for wiring including inspection boxes, & pull boxes, hooks, and repairing	Rft	16000	

	surface, etc., complete with all specials. On surface 25 mm				
23	Supply and erection of tube light, including rod, choke, starter with frame, flexible wire, including connection from ceiling Rose, etc., complete. ii) Single rod (40 watts) with one choke and one starter.	Each	300		
24	Supply and erection of panel light 40 watt having size of 2' x 2' Complete in all respect.	Each	400		
Total Cost i/c all applicable taxes (Rs.)					

CM Initiative for establishment of IT Labs

(Package 2)

Establishment of Command & Control Center

Sr. No.	Description of Work	Units	Quantity	Unit Price	Total Cost
1	Supply, Installation and Connection of 55" LCD Display Panels for CCTV Monitoring Samsung, Sony, or equivalent brand 55" commercial-grade displays / Equivalent- 4K UHD resolution, 500–700 nits brightness, HDMI/DVI/DisplayPort- 20 camera feeds per screen, 24/7 operation capability Purpose: Display live CCTV feeds (360 cameras total) for real-time surveillance.	Each	18		
2	Supply, Installation and Connection of LCD Frame/ Bracket made of Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Each	18		
3	Supply, Installation of Video Wall Base: Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director /Engineer in charge.	Each	6		
4	Supply, installation of Video-Wall Controller Rack Unit: Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Each	1		

5	Supplyig & Installation of VMS Server 300 plus channel Licenses with Video Wall license - Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Each	1		
6	License Per Channel	Each	60		
7	video Wall License	Each	1		
8	Supply and install of Network keyboard for Surveillance system, Display & Controls Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Each	3		
9	Supplying & Installation of SFP Module		30		
10	Supply and installation of 30 SFP Module 1.25Gb SFP, Single Mode, Single Fiber, SC Connectors with 16 10G SFP modules Cisco/ H3C/ or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Each	16		
11	Supply and installation of 24 port network switch, Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Each	4		
12	Supply and installation of Network Router Device Type: Cisco, Huawei or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Each	1		
13	Supply and install of Desktop computer Dell, HP Lenovo or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Each	5		
14	Supply and installation of 24 port fully loaded ODF SC-SC connectivity end to end with testing. Schneider or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Each	1		
15	Supplying & Installation of 50 Kva Generator Complete in all respect	Each	1		

16	Supply and installation of UPS RATING REQUIRED: 10KVA APC, Emerson or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Quil	1		
17	Supply, installation of 2 Ton AC Floor Standing Complete in all respect	Each	5		
18	Supplying & Installation of PDU 12 Ports Complete in all respect.		6		
19	Supply and installation of Rack Size 42U with PDU Atom, Dell, HP or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Each	3		
20	Supply and installation of I/Os Faceplate with Box and Double light plug with box	Each	50		
21	Supply and installation Cat 6 Cable Roll, Molex hike vision or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Each	5		
22	Supply, installation of back box of face plate	Each	50		
23	Supply and installation of RJ-45 Keystone Jack	Each	100		
Total Cost i/c all applicable taxes (Rs.)					

Notes to Price Table:

- i. X will determine the total bid cost against the complete works (service/labor & Material) Mentioned above.
- ii. Prices may be quoted for complete works (services/labor & material) as prescribed above.
- iii. Prices must be included with all applicable Taxes/duties, Freight/Transportation, Labor cost, Preparation of Site, Contingencies and any other cost not mentioned here.
- iv. IT Allied Work will be executed in IT Labs of different colleges located across the Punjab Province at least 166 locations approximately, however Command & control room will be established in Lahore district so Prices must be quoted accordingly.
- v. No cost escalation/variation is admissible in this contract. Any non BOQ Item will be paid as per the prevailing MRS rates.
- vi. The Purchaser reserves exclusive rights to increase or decrease the quantity of works without any change in unit price and other terms and conditions.
- vii. Combined lowest financial bid of both packages shall be declared as successful.
- viii. No additional payment for transportation / carriage / labor will be paid for deployment across all districts of Punjab.

Total Cost (in words) Rs. _____

Date _____

Signature of authorized person

Name:

(Company Seal)

In the capacity of

Duly authority by

Note: No cutting or overwriting is allowed. Any cutting or overwriting will lead to rejection of the financial bid.

Format for Covering Letter

To
(Name and address of Purchaser)

Sub: _____.

Dear Sir,

- a)** Having examined the tender document and Appendixes we, the undersigned, in conformity with the said document, offer to provide the said items on terms of reference to be signed upon the award of contract for the sum indicated as per financial bid.
- b)** We undertake, if our proposal is accepted, to provide the items/services comprise in the contract within time frame specified, starting from the date of receipt of notification of award from the client Department / Office.
- c)** We agree to abide by this proposal for the period of ___ days (as per requirement of the project) from the date of bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- d)** We agree to execute a contract in the form to be communicated by the _ (insert name of the Purchaser)_, incorporating all agreements with such alterations or additions thereto as may be necessary to adapt such agreement to the circumstances of the standard.
- e)** Unless and until a formal agreement is prepared and executed this proposal together with your written acceptance thereof shall constitute a binding contract agreement.
- f)** We understand that you are not bound to accept a lowest or any bid you may receive, not to give any reason for rejection of any bid and that you will not defray any expenses incurred by us in bidding.

Authorized Signatures with Official Seal

Technical Specifications for IT Allied Works

TENTATIVE SPECIFICATIONS for the IT Lab Infrastructure			
Sr. No.	Items	Description	Qty
1	Network Switch (48 Port) Europe/Juniper USA / Huawei / H3C, Pollo Australia or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply, Installation and Connection of Specified Ports Layer-2 data Network 48 Ports Switch. Interfaces: 48 x 10/100/1000BASE-T, 4 x1G SFP ports Switching Capacity: 102 Gbps or higher Forwarding Rate: 77 Mpps or higher MAC Address Table: 8K entries or higher RAM 512 MB or higher Flash 256 MB or higher Operating Temperature -5 to 50°C	86
2	Network Switch (24 Port) Europe/Juniper USA / Huawei / H3C, Pollo Australia or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply, Installation and Connection of Specified Ports Layer-2, Data Network Switch specified, Interfaces: 24 x 10/100/1000 Mbps LAN ports (managed Switch) Switching Capacity: 55 Gbps or higher Forwarding Rate: 41 Mpps or higher MAC Address Table: 8K or higher RAM 512 MB or higher Flash 256 MB or higher Operating Temperature: -5 to 50°C Min.4x1Gbps SFP UPLINK ports	118
3	Standard Wireless Access point: Europe /Juniper USA / Huawei / H3C, Pollo Australia or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply, Installation of WiFi access points(APs), conforming IEEE as approved Support up to 50 concurrent connections. Interface: 1 x 10/100/1000 Mbps (PoE) Ethernet LAN, 1 x RJ45 console port Data Signal Rate: 1490 Mbps Antennas: 2 x dual-band internal antennas Antenna Gain: 4dBi (2.4 GHz), 5dBi (5 GHz) Max. Power Consumption: 13W Operating Temperature: 0 °C to 45 °C	166
4	Switch Rack 12U Branded: Bosch/HP/ Dell ,Pollo Australia or equivalent or as approved and directed by Project Director / Engineer in charge.	Supplying & installation of wall mounted Cabinet comprising of Powder Coated M.S frame, front glass & two side openings, 02 way fans for cooling, top & bottom entry, handle lock with 6 way PDU Power Distribution Unit) with all necessary accessories /materials, complete in all respects. Made of 12u, Double Section Data Cabinet having an exhaust fan, glass door, PDU, Cable manager, and keys.	170
5	Cat 6 Ethernet Cable Roll - Molex or equivalent or as approved and directed by Project Director / Engineer in charge	Supplying & Installation of Cat 6 Ethernet Cable Roll :Cat 6 (C6) 4 Pair U/UTP cable role 305 M, maximize cabling performance, providing extended frequency response and enhanced bandwidth, Mechanical Characteristics Conductor: Solid Bare Copper AWG: 23 Gigabit Ethernet (1000 Base-T and 1000 Base-TX) and beyond, Jacket: PVC Average Thickness (± 0.05 mm): 0.50 Min. Point Thickness (mm): 0.46 Outer Dia. (± 0.15 mm): 6.20, (fluke test pass)	360
6	Patch Panel (48 Port) Schneider/Norden /3MCorning/D-Link, Pollo	Suppling, Installation and commissioning of Cat-6 fully loaded I/Os 48 ports Patch Panel UTP Patch Panel with specified tool less support & Rear Cable Management, UL	86

	Australia or equivalent approved manufacturer and directed by Project Director / Engineer in charge	listed, Loaded with UTP of specified Key stone Jack Tool less Support	
7	Patch Panel (24 Port) Schneider/Norden /3MCorning/D-Link, Pollo Australia or equivalent approved manufacturer and directed by Project Director / Engineer in charge	Supplying, Installation and commissioning of Cat-6 fully loaded I/Os 24 ports Patch Panel UTP Patch Panel with specified tool less support & Rear Cable Management, UL listed, Loaded with UTP of specified Key stone Jack Tool less Support	118
8	Cable Manager , Good Quality or directed by Project Director / Engineer in charge	Supplying & Installation of Cable Manager Metal Cable Organizer 24 slots each for the Network switches	170
9	RJ-45 Connector Box , D-Link or Equivalent directed by Project Director / Engineer in charge	Supplying, Installation and commissioning of RJ-45 Cat-6 Connector 100 pcs / Cat-6, Branded Original (100 Connectors box)	125 Box
10	Patch Cord 1 Meter , Molex or equivalent or approved manufacturer and directed by Project Director / Engineer in charge	Supplying, Installation of Cat 6 Unshielded 1 M Patch cords Company fabricated 1M UTP Patch Cord, Gigabit Ethernet CAT6 supported.	5784
11	Double Light Plug 10/13 Amp with back box : OPAL, Orange or Equivalent directed by Project Director / Engineer in charge	Supplying, Installation and commissioning of Double light plug. Current Rating : 10/13 Amps (Compatible with standard 13A plugs and 10A/6A 2-pin plugs). Voltage Rating : 250 Volts AC, 50 Hz. Switching : Individual ON/OFF rocker switches for each socket. Safety shutters / socket protection: Many sockets include shutters for safety (especially for 13 A mains sockets) to prevent accidental contact.	5000
12	7/29 Power Cable Roll FAST/GM/Pakistan Cable or Equivalent directed by Project Director / Engineer in charge	Supply and Installation of single core PVC insulated copper conductor cables, in prelaid PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing an capping/G.I. wire/trenches (rate for cables only): iii) 7/0.74 mm (7/0.029") 90 Meter Roll	800 Roll
13	NVR AXIS Europe/NOVAS Europe/Avigilon by Motrola, USA/ Huawei, Pollo Australia, Hikvision, Dahua or equivalent approved manufacturer and directed by Project Director / Engineer in charge .	Supplying, Installation and commissioning of NVR IP camera input capacity: 8 channels / 8 IP cameras, Supported video compression codecs: H.265 / H.265+ and H.264 / H.264+ (and in some models also H.264, MJPEG), Maximum camera input resolution (preview & recording): up to 8 MP (and supports lower resolutions like 6 MP, 5 MP, 4 MP, 3 MP, 1080p, 720p etc.), Video output interfaces: 1 × HDMI + 1 × VGA, Display output resolutions: HDMI up to 4K / UHD, Built-in PoE ports: 8 PoE ports supporting IEEE 802.3af/at, Recording Modes, Playback functionality, Smart / Alarm features, USB backup (USB 2.0 front / rear), Internal HDD support: Network interface, User access / remote monitoring	166
14	IP Cameras 4MP : AXIS Europe/NOVAS Europe/Avigilon by Motrola, USA/ Huawei, Pollo Australia, Hikvision, Dahua or equivalent approved manufacturer and directed by	Supplying, Installation and commissioning of IP Cameras, Resolution: 4 MP, up to 2688 × 1520, Image sensor, Fixed Iris / Fixed Lens, IR / Night Vision: Day/Night Support, WDR, Multi-user / remote access support. Frame rate: min 25 fps at full resolution, Weatherproof / dust- &	350

	Project Director / Engineer in charge .	water-resistant housing (min IP67) for outdoor, Video encoding: H.265+, operating temp -30 °C to +60 °C	
15	4 TB HDD Seagate /WD, Pollo Australia or equivalent approved manufacturer and directed by Project Director / Engineer in charge .	Supply, Installation and Connection of Surveillance Grade Hard Drives (HDD) 4 TB of Specified Capacity for CCTV System (NVR) Backup.	166
16	8 Port POE Switch for IP Cameras: Europe/ Juniper USA / Huawei / H3C, Pollo Australia or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply, Installation and Connection of 8 Ports PoE Switch Interfaces: 8 x 10/100/1000 BASE-T POE+ ports, 2 GE Uplink (managed switch) Switching Capacity 19 Gbps or higher Forwarding Rate 14Mpps or higher Power Budget 120W (30 W max. per PoE port) Lighting Protection 6KV Operating Temperature 0 to 50 °C	166
17	Surveillance Screen 27 Inch , Samsung, Dell or equivalent as approved manufacturer and directed by Project Director / Engineer in charge.	Supply, Installation and Connection of Screen size: 27 inch (diagonal), Panel type: LED / E-LED backlight, Resolution: Full HD 1920 × 1080 or higher, Video input interfaces: at least 1 × HDMI and 1 × VGA, Monitor should be rated for 24/7	166
18	Flexible pipe 1" GM/Adamjee/Popular or equivalent equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply, Installation and Connection of PVC Flexible pipe 1" with clamps etc.	RFT (20000)
19	Fire Extinguishers dcp approved manufacturer and directed by the Project Director / Engineer in charge	Supplying & Installation of Fire Extinguishers dcp dry chemical powder complete in all respect	166
20	Fire Extinguishers co2 approved manufacturer and directed by the Project Director / Engineer in charge	Supplying & Installation of Fire Extinguishers co2 carbon dioxide type 3 kg complete in all respect	166
21	PVC pipe/Duct for wiring approved manufacturer and directed by the Project Director / Engineer in charge	Supply and Installation of PVC pipe/Duct for wiring including inspection boxes, & pull boxes, hooks, and repairing surface, etc., complete with all specials. On surface 25 mm or 16 * 25/16*38/40*40 as per need	RFT (16000)
22	RJ45 Single I/Os with Faceplate & Box AMP, 3M or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply and Installation of RJ-45 I/O Cat-6 with Faceplate & box	600
23	40 Watt single rod light/LED PakLight/Philips or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply and Installation of 40 Watt single Rod light/LED	300

24	Panel Light 40 Watt 2*2 feet. OPPEL/Philips or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply and Installation of Panel Light 40 Watt 2*2 Feet	400

TENTATIVE SPECIFICATIONS for the Command & Control System

Sr. No.	Items	Description	Qty
1	55" LED/LCD Screen Samsung, TCL or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply, Installation and Connection of 55-inch diagonal. Panel / Screen Size 55-inch Backlight Technology Direct-lit LED (DLED) Resolution 1920 × 1080 @ 60 Hz (Full HD) Brightness 500 cd/m ² (nits) Bezel Width (Seam) 3.5 mm (Physical seam between two screens) Contrast Ratio 1200:1 Viewing Angle Horizontal: 178°, Vertical: 178° Response Time 8 ms (G to G) Color Depth 8-bit, 16.7 Million Colors Surface Treatment Anti-glare, Haze 25%, 3H Hardness Life Span ≥ 60,000 Hours, 1 × USB Video Outputs, 1 × HDMI (supports daisy chain / loop), 1 × DisplayPort (DP) Output, Control Interface, 1 × RS-232 IN, 1 × RS-232 OUT (Loop), Audio: 1 × Audio Line Out, Power Supply 100–240 VAC, 50/60 Hz Power Consumption Max: ≤ 192 W (Standard operational approx. 150W) Standby Consumption ≤ 0.5 W VESA Mount 600 mm × 400 mm Dimensions (W × H × D) 1213.5 mm × 684.3 mm × 71.74 mm Casing Material Metal (SECC) – Radiation & Magnetic interference resistant	18
2	LCD Frame/Bracket: Hikvision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply, Installation and Connection of Purpose / Type Modular frame / mounting bracket for 55" LCD displays Max Supported Screen Size: Up to 55" (≈ 139.7 cm diagonal) Compatible Mounting Standard: (VESA) VESA 600 mm (H) × 400 mm (V) or equivalent supported. Material: Cold-rolled steel plate (SPCC) Surface Treatment: Electrostatic spraying (black finish) Dimensions: (W × H × D) 848 mm × 682.5 mm × 200 mm (approx. 33.39" × 26.87" × 7.87") Net Weight: ~ 20.8 ± 0.5 kg Gross / Packaging Weight: ~ 23.8 ± 0.5 kg Supported # Displays: 1 display per frame	18
3	Video Wall Base: Hikvision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply, Installation and Connection of Purpose / Use Case Pedestal / floor-stand / video-wall base for 55" LCD display Material: Cold-rolled steel plate (SPCC) Surface Finish / Treatment: Electrostatic spraying (black finish) Dimensions (W × H × D): 1213.5 mm × 800 mm × 334 mm ≈ (47.78" × 31.5" × 13.15") Net Weight: 62.3 ± 0.5 kg Gross / Packaged Weight: 69.83 ± 0.5 kg Structure / Strength: Solid-steel structure designed to prevent screen bending or twisting (structural integrity for video wall / floor stand use) Supported Screen Size: 55" LCD displays (recommended 55") — base designed for 55" units.	6

		Mount type / Bracket Type: Pedestal / floor-stand modular base (not wall frame) for video-wall setups or standalone floor-mount displays.	
4	Video-Wall Controller Rack Unit: Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	<p>Supplying & installation of Chassis / Build: 3 U standard rackmount chassis. Signal Input Types: Supports HDMI signal input and output. Video Input Interface Type HDMI1.4 Video Input Interfaces4 Max. Video Input Resolution 4-K (Only odd-numbered ports)</p> <p>Video Input Resolution: 1024 × 768@60 Hz, 1280 × 1024@60 Hz, 1366 × 768@60 Hz, 1440 × 900@60 Hz, 1680 × 1050@60 Hz, 1280 × 960@60 Hz, 1600 × 1200@60 Hz, 1280 × 720p@50 Hz, 1280 × 720p@60 Hz, 1920 × 1080p@50 Hz, 1920 × 1080p@60 Hz, 1920 × 1200@60 Hz, 3840 × 2160@30 Hz (only odd-numbered ports)</p> <p>Supports custom resolution.</p> <p>Width: 800 to 1920, pixel alignment: must be a multiple of 4</p> <p>Height: 600 to 1200, pixel alignment: must be a multiple of 2</p> <p>Resolution: 0.48 MP to 2.3 MP</p> <p>Encoding / Decoding: Supports 4 channels of HD video encoding@60 fps</p> <p>Supports 192 channels of HD video decoding@30fps</p> <p>Splicing & Division: Supports any splicing of 24 screens according to needs.</p> <p>Supports the division of 1, 4, 6, 8, 9, 16, and 25 per output port window</p> <p>Interface Capacity: 1 x Main control board slot, Installed main board 1. 2 x Power Supply Slots. 6 x Service board Slots, Installed Service boards 4. Gigabit Network switching. 2 × 10/100/1000 Mbps self-adaptive Ethernet interface (RJ-45). Power Consumption≤ 240 W.</p> <p>Video Wall Support: 8. Scale ≤ 24. Open windows 384</p> <p>Operation: Supports the access and operation via the mobile client (Android or iOS), PC client, and web client.</p> <p>Supports live view of video wall. Support using the ONVIF protocol to access devices for decoding</p>	01
5	VMS Server 300 plus channel Licenses with Video Wall license - Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	<p>Supplying & Installation: of VMS Server with 300 plus Channel Licenses Default with licenses for extra 60 Channels also video wall license included.</p> <p>Base Video Channels (out of box): 300 camera channels Built-in. Expandable Capacity: Up to 3000 channels (also includes support for ANPR cameras, face capture cameras, smart walls/decoders, access control, alarm panels, etc. as licensed)</p> <p>CPU: Intel Xeon E 2434 (3.4 GHz–5.0 GHz, 4 cores / 8 threads) or higher Memory (RAM): 16 GB UDIMM (standard); upgradable 4 slots, supports up to 64 GB or higher Storage (Default included): 2 × 1 TB 7,200 rpm SATA HDD (hot plug, RAID1) or higher. Storage Expansion Slots: 4 × 3.5" SAS/SATA (HDD/SSD) bays (empty bays shipped by default)</p> <p>OS / Software: Windows Server 2019 (multilingual) pre-installed Professional pre-activated for 300 channels, Certify Xen Server Citrix® Xen Server® Microsoft Windows Server® with Hyper-V Red Hat® Enterprise Linux, Ubuntu Server</p>	01

		<p>PCIe Slots: Up to 2 PCIe Gen4 slots (1 × x8 and 1 × x16, both half length, low profile) supports additional expansion cards if needed.</p> <p>Network Interfaces: 2 × 1 GbE LAN ports</p> <p>I/O Ports: USB 3.0 (rear) + USB 2.0, VGA output; remote management via dedicated iDRAC port & Ethernet for remote administration.</p> <p>Form Factor: 1U rack mount server; dimensions approx. 482 mm × 42.8 mm × 598.9 mm.</p> <p>Power Supply: 250 W power supply, 100–240 V AC, auto-adjusted. Or higher</p> <p>Having the feature of Live View and Playback, Visual Tracking Recording and Storage, Event Management, Network Management.</p> <p>Having the following software. Devices and Resources of 300 plus Cameras, Recording, Event & Alarm, Streaming Server's Maximum Performance of 300*2 MBPs plus.</p>	
6	Network Keyboard, Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply and install of Network keyboard for Surveillance system, Display & Controls: Display: 10.1" TFT LCD capacitive touchscreen, Resolution: 1280 × 800 pixels, Joystick: 4-axis joystick (detachable) for PTZ and menu control, User Interface: Android-based GUI for easy operation and configuration, Network: 1 × 10/100/1000 Mbps adaptive Ethernet (RJ45), Wi-Fi: Supported (wireless connectivity), Serial: Network, RS-232, RS-422, RS-485 ports, USB: 2 × USB 2.0 ports, Video Outputs: 1 × HDMI, 1 × DVI, Audio I/O, Audio Input: 1-ch, 3.5 mm (2.0 Vp-p, >1 kΩ), Audio Output: 1-ch, 3.5 mm (2.0 Vp-p, 600 Ω), Video & Decoding, Video Decoding Formats: H.264, H.264+, .265, H.265+, MPEG-4, Decoding Capability, 1 × 4K @ 30 fps or, 4 × 1080p @ 30 fps, Local Display: Up to 16-division, window display on touchscreen or external monitor, Certifications, CE-EMC, CE-LVD, RoHS, CB, UL, FCC-SDoC, RCM, BIS (region dependent) or higher	03
7	24 port Network switch Hike vision, Dahua, Honeywell or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply and installation of 24 port network switch, Ports 24 × Gigabit RJ45 port, 4 × Gigabit fiber optical port, MAC Address Table 16 K, Switching Capacity, Whole-Device Performance: 56 Gbps, Port Performance: 56 Gbps, Packet Forwarding Rate, Whole-Device Performance: 41.66 Mpps, Port Performance: 41.66 Mpps, Internal Cache 1.5 Mbits, IP Routing Static routing, RIP/OSPF, DHCP, DHCP Relay, DHCP Client, DHCP Snooping, Multicast IGMP V1/V2/V3 snooping, PIM Snooping, Multicast VLAN, IPv6 multicast setting. Command line configuration via console/AUX Modem/Telnet/SSH, Uploading and downloading of FTP, TFTP, and Xmodem, and SFTP files, SNMP V1/V2c/V3, having the management console with cable.	04
8	SFP Modules Cisco/ H3C/ or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply and installation of 30 SFP Module 1.25Gb SFP, Single Mode, Single Fiber, SC Connectors with 16 10G SFP modules	30+16
9	Network Router: Cisco, Huawei or equivalent approved manufacturer and directed	Supply and installation of Network Router Device Type: Fixed-configuration Branch Router (ISR) Key Capability: SD-WAN ready, Enterprise-class Security, Edge Computing, Interfaces: Dual GE WAN (1 Combo) + 8 GE LAN Ports, 1 × 10/100/1000GE RJ45, 1 × 10/100/1000GE / SFP Combo	01

	by the Project Director / Engineer in charge.	port, LAN Interfaces, • 8 × 10/100/1000GE RJ45 (Managed Switch Ports), Note: Supports PoE/PoE+ on 4 ports (requires 150W power supply), Console/Management, 1 × RJ45 / USB Type-B Console Port, Memory (RAM) 8 GB DRAM, Storage (Flash) 8 GB Flash, Power Supply: External AC/DC adapter (Optional PoE power supply available), Dimensions: 42 mm x 323 mm x 230 mm (1.75 x 12.7 x 9.03 in), Fan, Fanless design (Silent operation), Mounting: Desktop, Wall-mount, or Rack-mount (with kit)	
10	Network Accessories & Fiber ODF , Schneider or equivalent approved manufacturer and directed by the Project Director / Engineer in charge.	Supply and installation of 24 port fully loaded ODF SC-SC connectivity end to end with testing. 12 Fiber cable as per actual,	01
11	Cat6 Cable Roll, Molex hike vision or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply and installation of Cable Roll (Cat 6):Cat 6 (C6) 4 Pair U/UTP cable role 305 M, maximize cabling performance, providing extended frequency response and enhanced bandwidth, Mechanical Characteristics Conductor: Solid Bare Copper AWG: 23 Gigabit Ethernet (1000 Base-T and 1000 Base-TX) and beyond, Jacket: PVC Average Thickness (± 0.05 mm): 0.50 Min. Point Thickness (mm): 0.46 Outer Dia. (± 0.15 mm): 6.20	05 Roll
12	Desktop Computer: Dell, HP Lenovo or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply and install of Desktop computer: Processor: Intel Core Ultra 5 225 or higher Chipset: Intel® Q870 Chipset or higher Memory: 16 GB (16*1 GB) DDR5 Memory upgradable to 128GB or higher Hard Disk Drive: 512GB M.2 SSD NVMe or higher Display Card: Built-in Intel® Integrated Graphics and the chassis must have support of Discrete Graphic Card. Display: 21" or higher LED Monitor (Same Brand) with HDMI and VGA port or higher Mouse & Keyboard: Same brand Standard wired Keyboard and wired optical mouse Tower Casing: Manufacturer Standard Tower casing with Power Supply 300W or higher I/O Interfaces and Expansion Slots: Minimum 2xUSB 3.2 Type-A 5GBPS ports, 2xUSB- 3.2 Type-A (10Gbps) ports, 1xUSB-Type-C 3.2, 1x Combo Jack Headphone/Mic, 1xRJ45 Ethernet port, 2xDisplay Port 1.4, 1xHDMI Port, 3×Expansion M.2 Slots or higher Network Adapter: LAN: Built-in Gigabit Ethernet with WLAN: Wi-Fi6/6E 802.11ax 2x2 Wi-Fi + Bluetooth pre configure from OEM or higher	05
13	I/Os and Power Light Plug Box	Supply and installation of I/Os Faceplate with Box and Double light plug with box	150 & 50
14	10 KVA UPS APC, Emerson or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply and installation of UPS RATING REQUIRED: 10KVA Rated voltage: 400VAC 2-phase, 4-wire UPS TOPOLOGY: On-line Double Conversion Input Voltage Range: Three phase 305VAC -520VAC Rated Power Factor: 0.9 WAVE FORM: Pure Sine Wave UPS BACKUP TIME: 5 minutes on 70% Load NUMBER OF BATTERY: 16 SPECIFICATION OF BATTERY: 12V / 9AH ECO Mode 96%	01

		Online mode (AC-AC) > 91% Inverter Efficiency(DC-AC) >86% Separate bypass Yes Maintenance bypass Inbuilt Static bypass Inbuilt Safety (CE) IEC/EN62040-1-1 Electromagnetic Compatibility(EMC) IEC/EN62040-2, IEC/EN61000-3-11, IEC/EN61000-3-12, YD/T1095-2008 Surge Protection IEC/EN62040-2, meeting IEC/EN61000-4-5 level 4 ROHS 2011/65/EU	
15	42 U Rack with PDU Atom, Dell, HP or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply and installation of Rack Size 42U (i.e. 42 rack units vertical mounting space), Mounting Standard: 19" / EIA-310 standard mounting rails for servers & network equipment, External Dimensions (typical): Height: ~ 2000 mm (~ 78.7"), Width: ~ 600 mm (~ 23.6"), Depth: typically, 800–1200 mm (depending on variant). Internal Usable Depth: (mounting depth) **Varies depending on model: min ~190–200 mm, up to ~1000–1050 mm depending on chassis depth. Material / Construction: Steel frame (cold-rolled steel / SPCC or equivalent), powder-coated / electrostatic coating finish, for indoor data-center / server-room use Doors / Panels: Perforated (ventilated) front and rear doors; lockable side panels (removable), optionally glass, mesh or steel perforated depending on need. Load (Static) Capacity Common 42U racks support ~1500 kg static load (depending on construction). Load (Dynamic / Rolling / Casters): Some models support lower dynamic load — typically for repositioning when partly loaded. Mounting Rails & Adjustability: Adjustable 19" vertical mounting rails (front & rear), with marked rack-unit numbering; suitable for servers, switches, PDUs, patch panels. Cable Management & Ventilation: Knock-out holes / brush slots or cable-entry at top/bottom; vents perforated doors for airflow; optional fan-tray / fan-mount provision. Grounding / Earthling: Frame, panels and doors grounded to the enclosure (metal connection) to meet safety standards. Finish & Coating: Powder-coating or electrostatic paint (usually black RAL9005 or similar) for corrosion protection and durability. Compliance & Standards: Rack should comply with standard rack-cabinet IEC/EIA/ DIN (e.g. EIA-310 / IEC 60297 / DIN 41491 / DIN 41494) for interoperability.	02
16	Air Conditioner , Gree PEL or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supply and installation 2-Ton Floor Standing Air Conditioner along with Breaker 15-20 ampere 02 pole, MCB 02 Nos , Copper pipe, control wire, power supply, drain pipe 30 RFT, outdoor bracket, or better, installation in position as directed by Project Director or his authorized person, Capacity in Tons: 2 Ton, 24000 BTU, Mode of AC: Hot & Cool, T3 Compressor, Heat & Cool, Temperature Display, Horizontal & Long Vertical air flow, Remote Control, Inverter / Fixed: Inverter, Refrigerant / Gas Type: R410A, Air Flow: 3D Air Flow, Auto Clean: Yes, Clean Filter: Single Panel Easy Clean	04

		Filter, Health Filter: Yes, Fire Proof PCB: Yes, Low Noise Operation: Yes, Warran12) 2-Ton Floor Standing Air Conditioner along with Breaker 15-20 ampere 02 pole, MCB 02 Nos, Copper pipe, control wire, power supply, drain pipe 30 RFT, outdoor bracket, or better, installation in position as directed by Project Director or his authorized person., Capacity in Tons: 2 Ton, 24000 BTU, Mode of AC: Hot & Cool, T3 Compressor, Heat & Cool, Temperature Display, Horizontal & Long Vertical air flow, Remote Control, Inverter / Fixed: Inverter, Refrigerant / Gas Type: R410A, Air Flow: 3D Air Flow, Auto Clean: Yes, Clean Filter: Single Panel Easy Clean Filter, Health Filter: Yes, Fire Proof PCB: Yes, Low Noise Operation: Yes, Warranty: Compressor 10Year, PCB Kit 5 Years, overall Comprehensive warranty 3 Years, Compressor 10Year, PCB Kit 5 Years, overall Comprehensive	
17	Generator 50-KVA Diesel , Cummins, Perkins, Siemens or equivalent approved manufacturer and directed by the Project Director / Engineer in charge	Supplying & Installation of 50 KVA, No of Cylinder 4 Cylinder, Governor : Electrical, Prime Output : 40-KW/50-KVA (Stand by Rating 44KW/55KVA) Rated Speed : 1500 RPM, Fuel consumption 100% Load 214 g/KWH, Cylinder Liner Type : WET Diesel Engine Type : 4 stroke, in line, water cooled air Lubricating type : Pressure Lubricant, Battery : 100-Amp Sealed Dry Battery, Phase : 3 Phase, Control Panel will be equipped with appropriate Circuit Breaker & deep see Module with Built in Safeties & Controls Including the cost of Following, Control cable 1.5 mm 1 core (Pakistan Cable/ Fast/GM), Power Cable 4 core 50 mm 100 ft (Pakistan Cable/Fast/GM), Automatic Transfer Switch, Rubber Pads, Foundation pad 4 x 8 x 3 ft , Complete Earthling, Spare Filter (One Set), Tool Kit (One Set), Battery, Canopy, Warranty : 12 Months/1000 Hr	01